

For Research Use Only

5 Lipoxygenase Polyclonal antibody

Catalog Number:10021-1-Ig

Featured Product

16 Publications



Basic Information

Catalog Number:

10021-1-Ig

Size:

750 µg/ml

Source:

Rabbit

Isotype:

IgG

GenBank Accession Number:

BC130332

GeneID (NCBI):

240

UNIPROT ID:

P09917

Full Name:

arachidonate 5-lipoxygenase

Calculated MW:

674 aa, 78 kDa

Observed MW:

70-78 kDa

Purification Method:

Protein A purification

Recommended Dilutions:

WB 1:500-1:1000

IF/ICC 1:10-1:100

Applications

Tested Applications:

WB, IF/ICC, ELISA

Cited Applications:

WB, IHC, IF

Species Specificity:

human

Cited Species:

human, mouse, rat

Positive Controls:

WB : DU 145 cells, HL-60 cells, K-562 cells, PC-3 cells, human placenta tissue

IF/ICC : Hela cells,

Background Information

ALOX5(arachidonate 5-lipoxygenase) is also named as LOG5, 5-LO and belongs to the lipoxygenase family. It catalyzes the first step in leukotriene biosynthesis, and plays a role in inflammatory processes. It is a 78 kDa iron-containing enzyme that translocates from the cytosol to associate with FLAP, and converts arachidonate in two steps into the unstable intermediate LTA₄. It is essential for cysteinyl-leukotriene (cys-LT) production, critical mediators in asthma(PMID:12911785).

Notable Publications

Author	Pubmed ID	Journal	Application
Xiao-Xue Li	34868262	Front Genet	WB
Mei Zheng	35637792	J Immunol Res	WB
Hao Chen	35571613	Dis Markers	WB

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com


W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 10021-1-Ig (5 Lipoygenase antibody) at dilution of 1:500 incubated at room temperature for 1.5 hours.



Immunofluorescent analysis of HeLa cells, using ALOX5 antibody 10021-1-Ig at 1:25 dilution and Rhodamine-labeled goat anti-rabbit IgG (red).