

For Research Use Only

IBA1 Polyclonal antibody

Catalog Number: 10904-1-AP

Featured Product

432 Publications



Basic Information

Catalog Number:	10904-1-AP	GenBank Accession Number:	BC009474	Purification Method:	Antigen affinity purification
Concentration:	700 ug/ml	GeneID (NCBI):	199	Recommended Dilutions:	IP 0.5-4.0 ug for 1.0-3.0 mg of total protein lysate IHC 1:400-1:1600 IF-P 1:50-1:500 IF-Fro 1:200-1:800
Source:	Rabbit	ENSEMBL Gene ID:	ENSG00000204472		
Isotype:	IgG	UNIPROT ID:	P55008		
Immunogen Catalog Number:	AG1363	Full Name:	allograft inflammatory factor 1		
		Calculated MW:	17 kDa		

Applications

Tested Applications:	Positive Controls:
IHC, IF-P, IF-Fro, FC (Intra), ELISA	IP: THP-1 cells,
Cited Applications:	IHC: rat brain tissue, human liver tissue, human tonsillitis tissue, human brain tissue
IHC, IF	IF-P: mouse brain tissue, rat brain tissue
Species Specificity:	IF-Fro: mouse brain tissue,
human, mouse, rat	
Cited Species:	
human, mouse, rat, pig, monkey, zebrafish, hamster, sheep	
Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0	

Background Information

IBA1 is a 143 amino acid cytoplasmic, inflammation response scaffold protein. It is constitutively expressed in monocytes and macrophages and is known to be involved in macrophage activation. It is a marker of activated macrophage. Expression of IBA1 is up-regulated in activated microglia following facial nerve axotomy, ischemia, and several brain diseases, thereby implicating it in the activated phenotypes of microglia.

Notable Publications

Author	Pubmed ID	Journal	Application
Yi-Na Zhang	36168082	Transl Stroke Res	IF
Anna Piotrowska	31616413	Front Immunol	
R Zajaczkowska	30267794	Pharmacol Biochem Behav	

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol, pH7.3

Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com


W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data




Immunohistochemical analysis of paraffin-embedded rat brain tissue slide using 10904-1-AP (IBA1 antibody) at dilution of 1:800 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).




Immunohistochemical analysis of paraffin-embedded rat brain tissue slide using 10904-1-AP (IBA1 antibody) at dilution of 1:800 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).




Immunohistochemical analysis of paraffin-embedded rat brain tissue slide using 10904-1-AP (IBA1 antibody) at dilution of 1:800 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).




Immunofluorescent analysis of (4% PFA) fixed mouse brain tissue using IBA1 antibody (10904-1-AP) at dilution of 1:200 and Coralite®488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).




Immunohistochemical analysis of paraffin-embedded rat brain tissue slide using 10904-1-AP (IBA1 antibody) at dilution of 1:800 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).




1×10^6 THP-1 cells were intracellularly stained with 0.4 ug Anti-Human IBA1 (10904-1-AP) and Coralite®488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L) at dilution 1:1000 (red), or 0.4 ug Control Antibody. Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).




IP result of anti-IBA1 (IP:10904-1-AP, 4ug; Detection:10904-1-AP 1:500) with THP-1 cells lysate 2400 ug.



Immunohistochemical analysis of paraffin-embedded human tonsillitis tissue slide using 10904-1-AP (IBA1 antibody) at dilution of 1:1000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffin-embedded human tonsillitis tissue slide using 10904-1-AP (IBA1 antibody) at dilution of 1:1000 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



WWW.PTGLAB.COM

Immunofluorescent analysis of (4% PFA) fixed frozen OCT-embedded mouse brain tissue using 10904-1-AP (IBA1 antibody) at dilution of 1:400 and Coralite488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).