For Research Use Only

SIX2 Polyclonal antibody

Catalog Number: 11562-1-AP

Featured Product

259 Publications

GenBank Accession Number:



Basic Information

Catalog Number: 11562-1-AP Concentration: 750 ug/ml

Source: UNIPROT ID:
Rabbit Q9NPC8
Isotype: Full Name:

IgG SIX homeobox 2
Immunogen Catalog Number: Calculated MW:
AG2124 291 aa, 32 kDa
Observed MW:

32-37 kDa

BC024033

10736

GeneID (NCBI):

Purification Method: Antigen affinity purification

Recommended Dilutions: WB 1:2000-1:10000

IP 0.5-4.0 ug for 1.0-3.0 mg of total

protein lysate

Applications

Tested Applications: WB, IP, ELISA Cited Applications:

WB, IP, ChIP
Species Specificity:
human

Cited Species:

human, mouse, rat, pig, rabbit, canine, alligator

Positive Controls:

WB: HEK-293 cells, LO2 cells, PC-3 cells

IP: HEK-293 cells,

Background Information

The SIX proteins (sine oculis) are a family of homeodomain transcription factors that share a conserved DNA binding domain. Six members (Six1-Six6) of the Six gene family have been identified in mice and humans. SIX2, containing one homeobox DNA-binding domain, is highly expressed in fetal tissues but expression is limited in adult tissues. SIX2 may be involved in limb tendon and ligament development[PMID:21420949]. It has been previously shown that SIX2 is expressed in developing mesenchymal tissue including head and urogenital system at the time of overt midfacial and renal differentiation[PMID: 22282599]. This antibody is a rabbit polyclonal antibody raised against full length SIX2 of human origin.

Notable Publications

Author	Pubmed ID	Journal	Application
Ravian L van Ineveld	36180532	Nat Protoc	
Bingjue Li	32715474	J Pathol	
Ken Hiratsuka	36129975	Sci Adv	

Storage

Storage:


Store at -20°C. Stable for one year after shipment.

Storage Buffer:


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 11562-1-AP (SIX2 antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours.



IP result of anti-SIX2 (IP:11562-1-AP, 4ug; Detection:11562-1-AP 1:1000) with HEK-293 cells lysate 1320 ug.