

For Research Use Only

A4GALT Polyclonal antibody

Catalog Number: 12392-1-AP



Basic Information

Catalog Number: 12392-1-AP	GenBank Accession Number: BC017068	Purification Method: Antigen affinity purification
Size: 350 µg/ml	GeneID (NCBI): 53947	Recommended Dilutions: WB 1:500-1:2000 IHC 1:50-1:500 IF/ICC 1:50-1:500
Source: Rabbit	UNIPROT ID: Q9NPC4	
Isotype: IgG	Full Name: alpha 1,4-galactosyltransferase	
Immunogen Catalog Number: AG3069	Calculated MW: 353 aa, 41 kDa	
	Observed MW: 50-52 kDa	

Applications

Tested Applications:
WB, IHC, IF/ICC, ELISA

Species Specificity:
human, mouse

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB : RAW 264.7 cells, K-562 cells, Raji cells

IHC : human cervical cancer tissue, mouse kidney tissue

IF/ICC : HeLa cells,

Background Information

Storage

Storage:
Store at -20°C. Stable for one year after shipment.
Storage Buffer:
PBS with 0.02% sodium azide and 50% glycerol pH 7.3.
Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com


W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




RAW 264.7 cells were subjected to SDS PAGE followed by western blot with 12392-1-AP (A4GALT Antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffin-embedded human cervical cancer tissue slide using 12392-1-AP (A4GALT antibody) at dilution of 1:200 (under 10x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffin-embedded human cervical cancer tissue slide using 12392-1-AP (A4GALT antibody) at dilution of 1:200 (under 40x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (-20°C Methanol) fixed HeLa cells using A4GALT antibody (12392-1-AP) at dilution of 1:100 and CoraLite®488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).