For Research Use Only

Cytokeratin 6A-specific Polyclonal antibody

Catalog Number: 16853-1-AP Featured Product



Basic Information

Catalog Number: 16853-1-AP Size:

400 ug/ml Source:

Isotype: IgG

Rabbit

GenBank Accession Number:

NM_005554 GeneID (NCBI): 3853

P02538 Full Name: keratin 6A

Calculated MW:

UNIPROT ID:

60 kDa

Observed MW:
56 kDa

Purification Method:

Antigen affinity purification

Recommended Dilutions:

WB 1:500-1:1000 IP 0.5-4.0 ug for 1.0-3.0 mg of total

protein lysate IHC 1:50-1:500

Applications

Tested Applications: WB, IHC, IP, ELISA Species Specificity: human, mouse

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0 Positive Controls:

WB: A431 cells, AML12 cells, HeLa cells, human saliva,

mouse skin tissue IP: HeLa cells,

IHC: human skin cancer tissue, human bowen disease

Background Information

Keratins are a large family of proteins that form the intermediate filament cytoskeleton of epithelial cells, which are classified into two major sequence types. Type I keratins are a group of acidic intermediate filament proteins, including K9-K23, and the hair keratins Ha1-Ha8. Type II keratins are the basic or neutral courterparts to the acidic type I keratins, including K1-K8, and the hair keratins, Hb1-Hb6. Keratin 6 is a type II keratin. It is used as marker for epidermal hyperproliferation and differentiation. Three keratin 6 isoforms were found, ketatin 6A,6B and 6C. They share more than 99% identical DNA sequence. This antibody is against all three isoforms of keratin 6, but it does not bind other keratins.

Storage


Storage:

Store at -20°C. Stable for one year after shipment. Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

Selected Validation Data




A431 cells were subjected to SDS PAGE followed by western blot with 16853-1-AP (Cytokeratin 6A-specific antibody) at dilution of 1:300 incubated at room temperature for 1.5 hours.




Immunohistochemical analysis of paraffinembedded skin cancer slide using 16853-1-AP (Cytokeratin 6A-specific antibody) at dilution of 1:200 (under 20x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded skin cancer slide using 16853-1-AP (Cytokeratin 6A-specific antibody) at dilution of 1:200 (under 20x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



IP result of anti-Cytokeratin 6A-specific (IP:16853-1-AP, 4ug; Detection:16853-1-AP 1:300) with HeLa cells lysate 520ug.



WB result of Cytokeratin 6A antibody (16853-1-AP; 1:600; room temperature for 1.5 hours) with wild-type and Cytokeratin 6A knockout AML 12 cells.