## For Research Use Only

# ACTA1-Specific Polyclonal antibody

Catalog Number: 17521-1-AP 12 Publications



**Basic Information** 

Catalog Number: 17521-1-AP Concentration: 260 μg/ml

Source: Rabbit Isotype:

actin, alpha 1, skeletal muscle

Calculated MW: 42 kDa Observed MW: 39-42 kDa

NM 001100

**UNIPROT ID:** 

P68133 Full Name:

GeneID (NCBI):

GenBank Accession Number:

**Purification Method:** Antigen affinity purification Recommended Dilutions: WB 1:500-1:2000

IHC 1:50-1:500

**Applications** 

**Tested Applications:** WB, IHC, FC (Intra), ELISA Cited Applications:

Species Specificity: human, mouse, rat **Cited Species:** human, mouse, rat

WB, IHC, IF

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

#### Positive Controls:

WB: human skeletal muscle tissue, mouse skeletal muscle tissue, rat skeletal muscle tissue IHC: human skeletal muscle tissue, human

hysteromyoma tissue

# **Background Information**

Actins are highly conserved proteins that are involved in various types of cell motility and are ubiquitously expressed in all eukaryotic cells. The ACTA1 gene encodes skeletal muscle alpha-actin, the principal actin isoform in adult skeletal muscle, which interacts with a variety of proteins to produce the force for muscle contraction. There is only the N-termninal 8 amino acids difference among the actin family members. This antibody is specific to the ACTA1. It does not cross-react with other actin isoforms.

### **Notable Publications**

Author	Pubmed ID	Journal	Application
Hongyi Zhou	34502418	Int J Mol Sci	WB
Qing Wang	34786834	J Cell Mol Med	WB
Yongqiang Ai	34149411	Front Pharmacol	WB

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

PBS with 0.02% sodium azide and 50% glycerol, pH7.3

Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:

T: 4006900926 E: Proteintech-CN@ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

# **Selected Validation Data**




human skeletal muscle tissue were subjected to SDS PAGE followed by western blot with 17521-1-AP (ACTA1-Specific antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human skeletal muscle tissue slide using 17521-1-AP (ACTA1-Specific Antibody) at dilution of 1:500 (under 10x lens).



Immunohistochemical analysis of paraffinembedded human skeletal muscle tissue slide using 17521-1-AP (ACTA1-Specific Antibody) at dilution of 1:500 (under 40x lens).



1X10^6 C2C12 cells were intracellularly stained with 0.4 ug Anti-Human ACTA1-Specific (17521-1-AP) and CoraLite®488-Conjugated Goat Anti-Rabbit IgG(H+L) at dilution 1:1000 (red), or 0.4 ug Control Antibody. Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).