For Research Use Only

DYKDDDDK tag Polyclonal antibody (Binds to FLAG® tag epitope) Catalog Number:20543-1-AP 1240 Publications



Basic Information	Catalog Number: 20543-1-AP Concentration: 600 µ g/ml Source: Rabbit Isotype: IgG Immunogen Catalog Number: AG2329	GenBank Acce Genel D (NCBI) 8 Full Name: Flag Tag		Purification Method: Antigen affinity purification Recommended Dilutions: WB: 1:20000-1:100000 IP: 0.5-4.0 ug for 1.0-3.0 mg of total protein lysate	
Applications	Tested Applications: WB, IP, ELISA		Positive Controls: WB : Transfected HEK-293T cells, IP : Transfected HEK-293 cells,		
	Cited Applications: WB, IHC, IF, IP, CoIP, ChIP, RIP				
	Species Specificity: recombinant protein				
	Cited Species: human, mouse, pig, silkworm				
Background Information	Protein tags are protein or peptide sequences located either on the C- or N- terminal of the target protein, which facilitates one or several of the following characteristics: solubility, detection, purification, localization and expression. The DYKDDDDK(FLAG) peptide has been used extensively as a general tag in expression vectors. This peptide can be expressed and detected with the protein of interest as an amino-terminal or carboxy-terminal fusion. N-terminal DDDDK vectors provide an Ek cleavage site for removal of the fusion tag. The DDDDK peptide is likely to be located on the surface of a fusion protein because of its hydrophilic nature. As a result, the DDDDK peptide is more likely to be accessible to antibodies. A DDDDK-tag can be used in many different assays that require recognition by an antibody, such as western blotting, immunocytochemistry, immunoprecipitation, flow cytometry, protein purification, and in the study of protein-protein interactions, cell ultrastructure, and protein localization and so on. This antibody is a rabbit polyclonal antibody raised against 3xFlag (3xDYKDDDDKT) sequence and recognizes the (1x) and (3x)DYKDDDDK peptide and detects DDDDK-tagged proteins. Anti-FLAG is a registered trademark of Sigma-Aldrich Biotechnology.				
Notable Publications	Author	Pubmed ID	Journal	Application	
	Sirwan Sleman	36179070	Viral Immunol	WB,IP	
	Huanru Wang	31575039	Int J Mol Sci		
	M Zatyka	25274773	Hum Mol Genet	IP	
Storage	Storage: Store at -20°C. Stable for one yes Storage Buffer:	ar after shipment.			

PBS with 0.02% sodium azide and 50% glycerol, pH7.3

Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact: T: 4006900926 E: Proteintech-CN@ptglab.com W: ptgcn.com This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data





HEK-293T cells and transfected HEK-293T lysates were subjected to SDS PAGE followed by western blot with 20543-1-AP (DYKDDDDK tag antibody) at dilution of 1:50000 incubated at room temperature for 1.5 hours. IP result of anti-DYKDDDDK tag (IP:20543-1-AP, 4ug; Detection:20543-1-AP 1:10000) with Transfected HEK-293 cells lysate 400 ug.