For Research Use Only

## EAAT2 Polyclonal antibody

Catalog Number:22515-1-AP 24 Publications




Basic Information	Catalog Number: 22515-1-AP	GenBank Accession Numb BC132768		Purification Method: Antigen affinity purification	
	Size:	GenelD (NCBI):		Recommended Dilutions:	
	300 µg/ml	6506		WB 1:5000-1:50000	
	Source: Rabbit	UNIPROT ID: P43004	IP 0.5-4.0 ug for protein lysate	IP 0.5-4.0 ug for 1.0-3.0 mg of total protein lysate	
	Isotype: Full Name:				
	IgG	IgG solute carrier family 1 (glial high affinity glutamate transporter), AG18247 Calculated MW: 574 aa, 62 kDa Observed MW: 60-70 kDa, 140 kDa			
	AG10247				
Applications	and the second se		ositive Controls:		
	WB, IP, ELISA	WB: mouse brain tissue, rat brain tissue			
	Cited Applications: IP : mouse brain tissue, WB, IHC, IF				
	Species Specificity: human, mouse, rat				
	Cited Species: human, mouse, rat, pig				
Background Information	EAAT2 (also known as GLT-1), is extracellular glutamate in brain splicing. In addition to the 65-70 PAGE. (PMID: 22114258)	and prevent brain seizures. Thre	ee isoforms of EAAT2 exist du	e to the alternative	
Notable Publications	Author	Pubmed ID Journal		Application	
	Wenlong Zhang	33093440 Cell Deat	th Dis	WB	
	Di Qu	36254458 ACS Cher	m Neurosci	WB,IF	
	Fanli Kong	36440503 Eur J Neu	rosci	WB,IF	
Storage	Storage: Store at -20°C. Stable for one yea	ir after shipment.			


PBS with 0.02% sodium azide and 50% glycerol pH 7.3. Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

## Selected Validation Data





Various lysates were subjected to SDS PAGE followed by western blot with 22515-1-AP (EAAT2 antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours. IP result of anti-EAAT2 (IP:22515-1-AP, 4ug; Detection:22515-1-AP 1:8000) with mouse brain tissue lysate 2100 ug.