For Research Use Only

C4-B Alpha Chain/C4b-B/C4d-B Polyclonal antibody



Catalog Number: 55228-1-AP

Basic Information

Catalog Number: 55228-1-AP

Size: 1000 μg/ml

Rabbit Isotype:

IgG

Source:

GenBank Accession Number:

NM_000592 GeneID (NCBI):

UNIPROT ID: POCOL5 Full Name:

blood group)

complement component 4B (Chido

Calculated MW: 193 kDa Observed MW: 95 kDa, 300 kDa Purification Method: Antigen affinity purification Recommended Dilutions: WB 1:1000-1:4000

Applications

Tested Applications: WB,ELISA

Species Specificity:

human

Positive Controls:

WB: human blood,

Background Information

Complement C4, a component of the classical complement pathway, has an important role in innate immune function. C4 protein is expressed as a single chain precursor which is proteolytically cleaved into a trimer of alpha, beta, and gamma chains (molecular wights 95, 78, and 31 kDa) prior to secretion. The alpha chain is cleaved to release C4 anaphylatoxin, an antimicrobial peptide and a mediator of local inflammation. This antibody raised against 1116-1128aa of human C4-B protein can recognize C4-B precursor, C4-B alpha chain, C4b-B, and C4d-B.

Storage

Storage: Store at -20°C. Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

Selected Validation Data



human blood were subjected to SDS PAGE followed by western blot with 55228-1-AP (C4-B alpha chain/C4b-B/C4d-B antibody) at dilution of 1:2000 incubated at room temperature for 1.5 hours.