For Research Use Only

Marcks Polyclonal antibody

Catalog Number:10004-2-lg Featured Product

12 Publications



Basic Information	Catalog Number: 10004-2-lg	GenBank Accession Number: BC046601		Purification Method: Protein A purification	
	Size:	GenelD (NCBI):		Recommended Dilutions:	
	2000 µg/ml	-		WB 1:500-1:1000 IHC 1:50-1:500	
	Source: UNIPROTID: Inclus Rabbit P26645		Inc 1.50-1.500		
	Isotype: Full Name: IgG myristoylated alani kinase C substrate		ine rich protein		
		Calculated MW: 39 kDa			
Applications	Tested Applications:		Positive Controls:		
	IHC, WB,ELISA WB : mouse Cited Applications:		WB: mouse bra	in tissue,	
	IF, IHC, IP, WB	Increastissue.			
	Species Specificity: mouse				
	Cited Species: rat, mouse, bovine				
	Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0				
Background Information	MARCKS is a member of MARCKS family of PKC substrate and it is also a widely accepted indicator of PKC activation. It shows a ubiquitous tissue distribution. The calculated molecular weight of MARCKS is 39 kDa and its apparent molecular weights were found at 68 kDa to 90 kDa in different species. This protein is a known to regulated cytoskeleton remodeling and membrane recycling. The anti-MARCKS antibody is raised against purifier MARCKS protein from mouse brain using a method similar to that previously reported for MacMARCKS				
Notable Publications	Author	Pubmed ID Jo	ournal	Application	
	Zhenzhen Chen	29588366 J E	Biol Chem	WB,IHC	
	Qing-Yan Zhang	35850487 Mo	ol Cell Endocrinol	WB	
	Mingyue Zhong	35726797 Fo	ood Funct	WB	
Storage	Storage: Store at -20°C. Stable for one year after shipment. Storage Buffer: PBS with 0.02% sodium azide and 50% glycerol pH 7.3. Aliquoting is unnecessary for -20°C storage				


For technical support and original validation data for this product please contact: E: Proteintech-CN@ptglab.com T: 4006900926 W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



Immunohistochemical analysis of paraffinembedded mouse pancreas tissue slide using 10004-2-1g (Marcks antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded mouse pancreas tissue slide using 10004-2-1g (Marcks antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



mouse brain tissue were subjected to SDS PAGE followed by western blot with 10004-2-Ig (Marcks antibody) at dilution of 1:600 incubated at room temperature for 1.5 hours.