## For Research Use Only

# NOB1 Polyclonal antibody

Catalog Number:10091-2-AP

**Featured Product** 

8 Publications



**Basic Information** 

Catalog Number: GenBank Accession Number: 10091-2-AP BC000050 GeneID (NCBI): Size: 450 µg/ml 28987 **UNIPROT ID:** Source: Rabbit Q9ULX3 Full Name: Isotype:

NIN1/RPN12 binding protein 1 homolog (S. cerevisiae) Immunogen Catalog Number:

AG0141 Calculated MW:

> 47 kDa Observed MW: 47-50 kDa

**Purification Method:** 

Antigen affinity purification Recommended Dilutions:

WB 1:500-1:2000 IP 0.5-4.0 ug for 1.0-3.0 mg of total

protein lysate IHC 1:10-1:100 IF 1:200-1:800

**Applications** 

**Tested Applications:** IF/ICC, IHC, IP, WB, ELISA

**Cited Applications:** 

IHC, WB

Species Specificity:

human **Cited Species:** 

Positive Controls: WB: HeLa cells, SGC-7901 cells, HepG2 cells, K-562

IP: HepG2 cells,

cells

IHC: human lymphoma tissue, human placenta tissue,

human colon cancer tissue

IF: A549 cells,

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate

buffer pH 6.0

# **Background Information**

NOB1 was first identified in yeast as an essential gene encoding the Nin one binding protein, which is involved in pre-rRNA processing. In a late cytoplasmic processing step, Nob1 cleaves a 20S rRNA intermediate at cleavage site D to produce the mature 18S rRNA. In addition, NOB1 is a crucial molecule in the maturation of the 20S proteasome and protein degradation. It serves as a chaperone to join the 20S proteasome with the 19S regulatory particle in the nucleus and facilitates the maturation of the 20S proteasome. Recently NOB1 has been reported to be overexpressed in several types of cancer, suggesting its involvement in the tumorigenesis.

#### **Notable Publications**

Author	Pubmed ID	Journal	Application
Sabina Schütz	30201955	Nat Commun	WB
Xin Gao	27035645	Oncol Rep	
Xiao-Wen He	25624720	World J Gastroenterol	WB

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.


Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:


T: 4006900926 E: Proteintech-CN@ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


## **Selected Validation Data**




Various lysates were subjected to SDS PAGE followed by western blot with 10091-2-AP (NOB1 antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human lymphoma using 10091-2-AP (NOB1 antibody) at dilution of 1:25 (under 10x loss)



IP result of anti-NOB1 (IP:10091-2-AP, 4ug; Detection:10091-2-AP 1:300) with HepG2 cells lysate 2400ug.



Immunofluorescent analysis of (-20°C Methanol) fixed A549 cells using NOB1 antibody (10091-2-AP) at dilution of 1:400 and Coralite®488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).