For Research Use Only

CDC42 Polyclonal antibody

Catalog Number: 10155-1-AP

Featured Product

54 Publications



Basic Information

Catalog Number: GenBank Accession Number: 10155-1-AP BC002711

Size: GeneID (NCBI): 998

Source: UNIPROT ID: Rabbit P60953

Isotype: Full Name:

gG cell division cycle 42 (GTP binding protein, 25kDa)

Immunogen Catalog Number: protein, 25kDa)
AG0207 Calculated MW: 21 kDa

Observed MW: 21 kDa

Applications

Tested Applications: IF/ICC, IHC, WB, ELISA Cited Applications: WB, IF, IHC, CoIP Species Specificity: human, mouse, rat Cited Species:

human, chicken, rat, mouse, hamster, bovine

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB: HT-29 cells, HeLa cells, C6 cells, Jurkat cells, NIH/3T3 cells, mouse brain tissue

Purification Method:

WB 1:500-1:2000 IHC 1:50-1:500

IF 1:20-1:200

Antigen affinity purification

Recommended Dilutions:

IHC: human pancreas cancer tissue, human pancreas tissue, human skeletal muscle tissue

IF: C6 cells, HeLa cells

Background Information

Cdc42, the human homologue of the cell division cycle 42 of Saccharomyces cerevisiae, belongs to the Rho/Rac subfamily of Ras-like GTPases. It acts as molecular switches to regulate numerous cellular responses including the organization of the actin cytoskeleton, gene transcription, cell cycle progression, and membrane trafficking. The molecular weight is about 21 kd.

Notable Publications

Author	Pubmed ID	Journal	Application
Yu-Yuan Zhang	36259516	J Biol Chem	WB
Xiang Pan	28979695	Am J Transl Res	WB
Teng Zhou	25212524	Biomaterials	WB

Storage

Storage:


Store at -20°C. Stable for one year after shipment.

Storage Buffer:


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 10155-1-AP (CDC42 antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.




Immunohistochemical analysis of paraffinembedded human pancreas cancer tissue slide using 10155-1-AP (CDC42 Antibody) at dilution of 1:200 (under 10x lens).



Immunohistochemical analysis of paraffinembedded human pancreas cancer tissue slide using 10155-1-AP (CDC42 Antibody) at dilution of 1:200 (under 40x lens).



C6 cells were subjected to SDS PAGE followed by western blot with 10155-1-AP (CDC 42 Antibody) at dilution of 1:600 incubated at room temperature for 1.5 hours.



Immunofluorescent analysis of (-20°C Ethanol) fixed C6 cells using 10155-1-AP (CDC 42 antibody) at dilution of 1:50 and Alexa Fluor 488-conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).