For Research Use Only

MYCN Polyclonal antibody

Catalog Number:10159-2-AP

Featured Product





Catalog Number: GenBank Accession Number: **Purification Method: Basic Information** 10159-2-AP BC002712 Antigen affinity purification GenelD (NCBI): Recommended Dilutions: Size: 800 µg/ml 4613 WB 1:500-1:3000 IHC 1:50-1:500 UNIPROT ID: Source: Rabbit P04198 Full Name: Isotype: IgG v-myc myelocytomatosis viral related oncogene, neuroblastoma Immunogen Catalog Number: derived (avian) AG0193 Calculated MW: 50 kDa Observed MW: 65-70 kDa **Applications Tested Applications: Positive Controls:** IHC, WB, ELISA WB : human placenta tissue, SKOV-3 cells, C6 cells, **Cited Applications:** mouse brain tissue, SH-SY5Y cells, rat brain tissue WB. IF. IHC IHC : human thyroid cancer tissue, **Species Specificity:** human, mouse, rat **Cited Species:** human, mouse Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0 **Background Information** MYCN, also named as BHLHE37 and NMYC, is a transcription factor. It is primarily expressed in normal developing embryos and is thought to be critical in brain and other neural development. It is often amplified in human neuroblastomas. IR34A can suppress MYCN expression, it suggest MYCN has a role in cell growth. The expression of the MCYN is upregulated in a variety of human tumors, most frequently neuroblastoma, where the level of expression appears to increase as the tumor progresses. The calculated molecuar weight of MYCN is 50 kDa, but Phosphorylated MYCN is about 65-70 kDa. MYCN exsits two isoforms and MV of isoform is respectively 65 kDa and 45 kDa. (PMID: 19615087) **Notable Publications** Author Pubmed ID Journal Application Stanley B DeVore 29987187 Mol Cell Biol Adriana Mañas Sci Adv IF 36306349 Zhiwen Fan 34746136 Front Cell Dev Biol WB,IHC


Storage


Storage: Store at -20°C. Stable for one year after shipment.

Storage Buffer: PBS with 0.02% sodium azide and 50% glycerol pH 7.3. Aliquoting is unnecessary for -20°C storage

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data





human placenta tissue were subjected to SDS PAGE followed by western blot with 10159-2-AP (MYCN antibody) at dilution of 1:1500 incubated at room temperature for 1.5 hours. Immunohistochemical analysis of paraffinembedded human thyroid cancer tissue slide using 10159-2-AP (MYCN Antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).