For Research Use Only

BRD8 Polyclonal antibody

Catalog Number: 10476-1-AP

2 Publications



Basic Information

Catalog Number: 10476-1-AP

Size: 500 μg/ml Source: Rabbit Isotype:

Immunogen Catalog Number:

AG0790

120 kDa Observed MW: 120 kDa

BC008039

10902

Q9H0E9

Full Name:

Calculated MW:

GeneID (NCBI):

UNIPROT ID:

GenBank Accession Number:

bromodomain containing 8

Purification Method:

Antigen affinity purification

Recommended Dilutions:

WB 1:500-1:1000

IP 0.5-4.0 ug for 1.0-3.0 mg of total

protein lysate IF 1:50-1:500

Applications

Tested Applications: IF/ICC, IP, WB,ELISA Cited Applications:

WB

Species Specificity: human

Cited Species: human

Positive Controls:

WB: HeLa cells, human brain tissue

IP: HeLa cells, IF: HeLa cells,

Background Information

BRD8 is one of the bromodomain-containing proteins, which is an acetylated lysine-binding domain and thought to be involved in regulation of protein acetylation and/or HAT (histone acetyl transferase) activity [PMID: 12963728]. It is also reported to be an accessory subunit of NuA4 HAT complex (also known as TRRAP/TIP60 complex) through biochemical purification [PMID: 16049979]. In addition, it can bind to thyroid hormone receptor-ß and/or retinoid X receptor, and can act as a coactivator of the nuclear hormone receptor-mediated transcription in reporter assays [PMID: 10517671].

Notable Publications

Author	Pubmed ID	Journal	Application
Arnaud Obri	24463511	Nature	WB
Zhaoxiang Yu	32860757	Arch Biochem Biophys	WB

Storage


Storage:

Store at -20°C. Stable for one year after shipment.


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


Selected Validation Data



HeLa cells were subjected to SDS PAGE followed by western blot with 10476-1-AP (BRD8 antibody) at dilution of 1:500 incubated at room temperature for 1.5 hours.



IP result of anti-BRD8 (IP:10476-1-AP, 4ug; Detection:10476-1-AP 1:300) with HeLa cells lysate 1200ug.



Immunofluorescent analysis of (10% Formaldehyde) fixed HeLa cells using 10476-1-AP (BRD8 antibody) at dilution of 1:50 and Alexa Fluor 488-conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).