For Research Use Only

FOXO3A Polyclonal antibody

Catalog Number: 10849-1-AP

Featured Product

86 Publications

GenBank Accession Number:



Basic Information

Catalog Number: 10849-1-AP

Size: 700 μg/ml Source: Rabbit Isotype:

Immunogen Catalog Number:

AG1289

forkhead box O3 Calculated MW: 673 aa, 71 kDa Observed MW:

72-97 kDa

BC021224

2309

043524

GeneID (NCBI):

UNIPROT ID:

Full Name:

Purification Method:

Antigen affinity purification

Recommended Dilutions: WB 1:2000-1:10000

IP 0.5-4.0 ug for 1.0-3.0 mg of total

protein lysate IHC 1:50-1:200

Applications

Tested Applications: IHC, IP, WB, ELISA **Cited Applications:** CoIP, IF, IHC, IP, WB Species Specificity: human, mouse, rat **Cited Species:**

human, rat, mouse, pig, bovine

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

IP: HEK-293 cells,

WB: HEK-293 cells, HeLa cells, Jurkat cells, MCF-7

cells, Neuro-2a cells, PC-3 cells

IHC: human breast cancer tissue, human prostate

cancer tissue

Background Information

In mammalian cells, FoxO factors act as potent transcriptional activators that upregulate the expression of programs of genes involved in stress resistance, cell cycle arrest, differentiation, apoptosis, autophagy, and metabolism. FOXO3 has a key role in the maintenance of adult neural and hematopoietic stem cells. It also associates with extreme longevity in humans and regulates the homeostasis of adult stem cell pools in mammals, $which \ may \ contribute \ to \ longevity. \ Phosphorylation \ inhibits \ FOXO3 \ nuclear \ translocation \ that \ is \ essential \ for \ its$ regulation and function. The calculated molecular weight of FOXO3 is 71 kDa, but some experiments analysis using a FOXO3a specific antibody showed the expression of a 90 kDa fulllength FOXO3a protein (Full) and a 40 kDa processed FOXO3a product (Short). 90 kDa FOXO3a protein is a phosphorylated via activation of PI3K (phosphatidylinositol 3-kinase) and Akt after INS stimulation, and translocate from the nucleus to the cytoplasm. (PMID: 19427386)

Notable Publications

| Author | Pubmed ID | Journal | Application |
|---------------|-----------|----------------------|-------------|
| Yong-Li Zhang | 34679694 | Antioxidants (Basel) | WB |
| Yitong Zhao | 36156740 | J Bone Miner Metab | WB,IHC |
| Xian Ye | 32946432 | Med Sci Monit | WB |

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.


Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:


T: 4006900926 E: Proteintech-CN@ptglab.com W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




WB result of FOXO3A antibody (10849-1-AP; 1:2000; incubated at room temperature for 1.5 hours) with sh-Control and sh-FOXO3A transfected HEK-293 cells.



Various lysates were subjected to SDS PAGE followed by western blot with 10849-1-AP (FOXO3A antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human breast cancer using 10849-1-AP (FOXO3A antibody) at dilution of 1:50 (under 40x lens).



IP result of anti-FOXO3A (IP:10849-1-AP, 4ug; Detection:10849-1-AP 1:8000) with HEK-293 cells lysate 920 ug.