

For Research Use Only

Cyclin G Polyclonal antibody

Catalog Number: 10897-1-AP **5 Publications**



Basic Information

Catalog Number: 10897-1-AP	GenBank Accession Number: BC007093	Purification Method: Antigen affinity purification
Size: 260 µg/ml	GeneID (NCBI): 900	Recommended Dilutions: WB 1:500-1:2000 IHC 1:50-1:500
Source: Rabbit	UNIPROT ID: P51959	
Isotype: IgG	Full Name: cyclin G1	
Immunogen Catalog Number: AG1157	Calculated MW: 34 kDa	
	Observed MW: 34 kDa	

Applications

Tested Applications: IHC, WB, ELISA	Positive Controls: WB : MDA-MB-453s cells, mouse ovary tissue, HeLa cells, mouse liver tissue IHC : human breast cancer tissue,
Cited Applications: WB	
Species Specificity: human, mouse, rat	
Cited Species: human, mouse	
Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0	

Background Information

Notable Publications

Author	Pubmed ID	Journal	Application
Fanpeng Zhao	25342750	J Biol Chem	WB
Yuzhong Chen	36400182	Exp Cell Res	WB
Chen-Song Huang	29458145	Cancer Lett	WB

Storage

Storage:
Store at -20°C. Stable for one year after shipment.
Storage Buffer:
PBS with 0.02% sodium azide and 50% glycerol pH 7.3.
Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com


W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data



MDA-MB-453s cells were subjected to SDS PAGE followed by western blot with 10897-1-AP (Cyclin G antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffin-embedded human breast cancer tissue slide using 10897-1-AP (Cyclin G antibody) at dilution of 1:200 (under 10x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffin-embedded human breast cancer tissue slide using 10897-1-AP (Cyclin G antibody) at dilution of 1:200 (under 40x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).