For Research Use Only

CA9 Polyclonal antibody

Catalog Number: 11071-1-AP

Featured Product

38 Publications

BC014950

GeneID (NCBI):

UNIPROT ID:

GenBank Accession Number:



Basic Information

Catalog Number: 11071-1-AP

Size: 1000 µg/ml

Source: Rabbit Isotype:

Immunogen Catalog Number:

AG1540

Observed MW: 60-70 kDa

Calculated MW: 459 aa, 50 kDa

Q16790 IHC 1:50-1:500 Full Name: carbonic anhydrase IX

Applications

Tested Applications: FC, IHC, IP, WB, ELISA Cited Applications: IF, IHC, WB

Species Specificity: human, mouse, rat **Cited Species:**

human, mouse

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB: A549 cells, HeLa cells, HEK-293 cells, mouse brain

Purification Method:

WB 1:1000-1:4000

protein lysate

Antigen affinity purification

IP 0.5-4.0 ug for 1.0-3.0 mg of total

Recommended Dilutions:

IP: mouse liver tissue,

IHC: human stomach tissue, human renal cell

carcinoma tissue

Background Information

CA9 (Carbonic anhydrase 9) may be involved in the control of cell proliferation and transformation and appears to be a novel specific biomarker for a cervical neoplasia (PMID:18703501). It is a tumor-associated antigen that has been shown to have diagnostic utility in identifying cervical dysplasia and carcinoma. The protein is presentboth on the plasma membrane and in the nucleus of cells and has the molecular. Western blotting detected CA9 protein at a molecular weight of 70 kDa (PMID: 31819036).

Notable Publications

Author	Pubmed ID	Journal	Application
Pan-Ling Xu	34597654	J Ethnopharmacol	WB
Hiromichi Iwashita	28960644	Pathol Int	IHC
Xue Wang	33111989	Thorac Cancer	WB,IHC

Storage


Storage:

Store at -20°C. Stable for one year after shipment.


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 11071-1-AP (CA9 antibody) at dilution of 1:2000 incubated at room temperature for 1.5 hours.




IP result of anti-CA9 (IP:11071-1-AP, 4ug; Detection:11071-1-AP 1:500) with mouse liver tissue lysate 4000ug.



Immunohistochemical analysis of paraffinembedded human stomach tissue slide using 11071-1-AP (CA IX antibody at dilution of 1:50 (under 10x lens).



WB result of CA9 antibody (11071-1-AP; 1:4000; incubated at room temperature for 1.5 hours) with sh-Control and sh-CA9 transfected A549 cells.



1X10^6 HeLa cells were intracellularly stained with 0.4 ug Anti-Human CA9 (11071-1-AP) and CoraLite® 488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L) at dilution 1:1000 (red), or 0.4 ug Isotype Control. Cells were fixed and permeabilized with Transcription Factor Staining Buffer Kit (PF00011).