For Research Use Only

OCT4/POU5F1 Polyclonal antibody

Catalog Number: 11263-1-AP

Featured Product

214 Publications



Basic Information

Catalog Number: GenBank Accession Number: 11263-1-AP BC020712
Size: GeneID (NCBI): 5460
Source: UNIPROT ID: Rabbit Q01860
Isotype: Full Name:

gG POU class 5 homeobox 1

Immunogen Catalog Number: Calculated MW: AG1794 39 kDa

Observed MW:

50-60 kDa

Purification Method:

Antigen affinity purification Recommended Dilutions:

WB 1:1000-1:5000 IHC 1:50-1:500 IF 1:50-1:500

Applications

Tested Applications: FC, IF-P, IHC, WB, ELISA Cited Applications: WB, IP, IF, FC, IHC Species Specificity: human, mouse, rat Cited Species:

human, goat, rat, mouse, pig

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0 Positive Controls:

WB: HEK-293 cells, MCF-7 cells, NCCIT cells, MDA-MB-231 cells, mouse brain tissue, U-251 cells, rat brain tissue, mouse embryo tissue

IHC: human renal cell carcinoma tissue, human lung cancer tissue

IF: mouse eye tissue,

Background Information

Octamer-binding protein 4 (OCT4), also known as POU5F1 or OCT3/4, is a member of the POU gene family and encoded by the human gene POU5F1 (POU domain class 5 transcription factor 1). OCT4 is a member of the Octamer class of transcription factors that recognize the 8-base pair consensus motif 5'-ATGCAAAT-3'. Expression of OCT4 is associated with an undifferentiated, pluripotent stem cell phenotype and tumors. OCT4 is also expressed in the developing brain, with the highest levels found in the cortex, olfactory bulb, and the hippocampus.

Notable Publications

Author	Pubmed ID	Journal	Application
Yang Liu	27685621	Cell Death Dis	WB
Chenlong Li	31558707	Cell Death Dis	WB
XIAOYUE FENG	34528694	Oncol Rep	WB

Storage

Storage:


Store at -20°C. Stable for one year after shipment.

Storage Buffer


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 11263-1-AP (OCT4/POU5F1 antibody) at dilution of 1:2500 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human renal cell carcinoma tissue slide using 11263-1-AP (OCT4/POU5F1 antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (4% PFA) fixed mouse eye tissue using OCT4/POU5F1 antibody (11263-1-AP) at dilution of 1:200 and CoraLite®488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).



1X10^6 HEK-293T cells were intracellularly stained with 0.4 ug Anti-Human OCT4/POU5F1 (11263-1-AP) and CoraLite® 488-Conjugated AffiniPure Goat Anti-Rabbit I gG(H+L) at dilution 1:1000 (red), or 0.4 ug Control Antibody. Cells were fixed and permeabilized with Transcription Factor Staining Buffer Kit (PF00011).