

LY96/MD2 Polyclonal antibody

Catalog Number: 11784-1-AP

7 Publications

Basic Information

Catalog Number:

11784-1-AP

Size:

550 µg/ml

Source:

Rabbit

Isotype:

IgG

Immunogen Catalog Number:

AG2447

GenBank Accession Number:

BC020690

GeneID (NCBI):

23643

UNIPROT ID:

Q9Y6Y9

Full Name:

lymphocyte antigen 96

Calculated MW:

160 aa, 18 kDa

Observed MW:

20-26 kDa

Purification Method:

Antigen affinity purification

Recommended Dilutions:

WB 1:500-1:2000

IHC 1:50-1:500

Applications

Tested Applications:

IHC, WB, ELISA

Cited Applications:

WB, IP, IF, IHC

Species Specificity:

human, mouse, rat

Cited Species:

human, mouse, rat

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB : mouse testis tissue, rat testis tissue

IHC : mouse testis tissue,

Background Information

LY96, also named as ESOP1 or MD 2, is a small secreted glycoprotein that can bind to both the hydrophobic portion of LPS and to the extracellular domain of TLR4. The interaction between MD-2 and LPS bridges the two TLR4 molecules and induces the dimerization of LPS-MD-2-TLR4, which forms the structural basis for biological functions of TLR4/MD-2 complex. Due to its essential role in mediating the interaction between LPS and TLR4, MD-2 has been extensively explored as a therapeutic target for treatment of inflammatory disorders.

Notable Publications

Author	Pubmed ID	Journal	Application
Min Zhang	36414003	J Agric Food Chem	WB, IF, IP
Mengya Zhao	35372062	Front Oncol	WB
Zhen Sun	35257279	J Cardiovasc Transl Res	WB

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


For technical support and original validation data for this product please contact:

T: 4006900926


E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 11784-1-AP (LY96/MD2 antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffin-embedded mouse testis tissue slide using 11784-1-AP (LY96/MD2 antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).