For Research Use Only

DYNLT1 Polyclonal antibody

Catalog Number: 11954-1-AP

Featured Product

8 Publications



Basic Information

Catalog Number: GenBank Accession Number: 11954-1-AP BC029412
Size: GeneID (NCBI): 650 µg/ml 6993
Source: UNIPROT ID: Rabbit P63172
Isotype: Full Name:

gG dynein, light chain, Tctex-type 1

Immunogen Catalog Number:Calculated MW:AG2557113 aa, 12 kDaObserved MW:

Observed 12 kDa Purification Method: Antigen affinity purification Recommended Dilutions:

WB 1:300-1:600 IP 0.5-4.0 ug for 1.0-3.0 mg of total

protein lysate IHC 1:20-1:200 IF 1:50-1:500

Applications

Tested Applications: IF/ICC, IHC, IP, WB, ELISA Cited Applications:

WB, IF, IHC
Species Specificity:
human, mouse, rat
Cited Species:
human, mouse

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB: human brain tissue, human heart tissue, Sp2/0

cells

IP: mouse skeletal muscle tissue, IHC: human pancreas tissue,

IF: HepG2 cells,

Background Information

DYNLT (or Tctex-1) was originally described as a light chain component of the dynein motor complex. Tctex-1 also has several dynein-independent functions, including roles in G protein signaling activation and neuronal growth. Tctex-1 is selectively enriched in proliferating neural progenitors of both embryonic and adult brains. Genetic knockdown of Tctex-1 in radial precursors promoted neurogenesis, indicating its implication in regulation of cortical neurogenesis. (Pubmed: 19448628)

Notable Publications

Author	Pubmed ID	Journal	Application
Marina Nagler	26410677	Biochem Pharmacol	WB
Yiqing Wang	34810061	J Clin Neurosci	WB
Tianyu Wu	36395215	Science	IF

Storage

Storage:


Store at -20°C. Stable for one year after shipment.

Storage Buffer

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


Selected Validation Data




Immunofluorescent analysis of (4% PFA) fixed HepG2 cells using 11954-1-AP (DYNLT1 antibody) at dilution of 1:50 and Alexa Fluor 488-conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).



human brain tissue were subjected to SDS PAGE followed by western blot with 11954-1-AP (DYNLT1 antibody) at dilution of 1:500 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human pancreas using 11954-1-AP (DYNLT1 antibody) at dilution of 1:50 (under 40x lens)



IP result of anti-DYNLT1 (IP:11954-1-AP, 4ug; Detection:11954-1-AP 1:300) with mouse skeletal muscle tissue lysate 3600ug.