

Calretinin Polyclonal antibody

Catalog Number: 12278-1-AP

11 Publications

Basic Information

Catalog Number:

12278-1-AP

Size:

850 µg/ml

Source:

Rabbit

Isotype:

IgG

Immunogen Catalog Number:

AG2924

GenBank Accession Number:

BC015484

GeneID (NCBI):

794

UNIPROT ID:

P22676

Full Name:

calbindin 2

Calculated MW:

29 kDa

Observed MW:

29 kDa

Purification Method:

Antigen affinity purification

Recommended Dilutions:

WB 1:5000-1:50000

IP 0.5-4.0 µg for 1.0-3.0 mg of total protein lysate

IHC 1:500-1:2000

Applications

Tested Applications:

IHC, IP, WB, ELISA

Cited Applications:

IF, IHC, WB

Species Specificity:

human, mouse, rat

Cited Species:

human, rat, mouse

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB: fetal human brain tissue, human ileum tissue, human brain tissue, human colon tissue, mouse brain tissue, mouse colon tissue, rat brain tissue, rat colon tissue

IP: mouse brain tissue,

IHC: human appendicitis tissue, mouse brain tissue, human brain tissue, human cerebellum tissue

Background Information

Calbindin 2 (calretinin), is an intracellular calcium-binding protein belonging to the troponin C superfamily. Members of this protein family have six EF-hand domains which bind calcium. This protein plays a role in diverse cellular functions, including message targeting and intracellular calcium buffering. It also functions as a modulator of neuronal excitability, and is a diagnostic marker for some human diseases, including Hirschsprung disease and some cancers. Calretinin is a useful marker for differentiating malignant mesothelioma from carcinomas.

Notable Publications

Author	Pubmed ID	Journal	Application
Luca Pesce	34536443	Prog Biophys Mol Biol	IF
Zhihao Wang	32926169	Endocrinology	IHC
Yuki Kajita	34803625	Front Behav Neurosci	IF

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


For technical support and original validation data for this product please contact:

T: 4006900926


E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 12278-1-AP (Calretinin antibody) at dilution of 1:12000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffin-embedded human appendicitis tissue slide using 12278-1-AP (Calretinin antibody) at dilution of 1:1000 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffin-embedded human appendicitis tissue slide using 12278-1-AP (Calretinin antibody) at dilution of 1:1000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



IP result of anti-Calretinin (IP:12278-1-AP, 4ug; Detection:12278-1-AP 1:10000) with mouse brain tissue lysate 1280 ug.