

For Research Use Only

# Neurotrophin 4 Polyclonal antibody



Catalog Number: 12297-1-AP

Featured Product

2 Publications

## Basic Information

Catalog Number:

12297-1-AP

Size:

600 µg/ml

Source:

Rabbit

Isotype:

IgG

Immunogen Catalog Number:

AG2938

GenBank Accession Number:

BC012421

GeneID (NCBI):

4909

UNIPROT ID:

P34130

Full Name:

neurotrophin 4

Calculated MW:

210 aa, 22 kDa

Observed MW:

70-80 kDa

Purification Method:

Antigen affinity purification

Recommended Dilutions:

WB 1:500-1:3000

IF 1:10-1:100

## Applications

Tested Applications:

IF/ICC, WB, ELISA

Cited Applications:

CoIP, IF, IHC, WB

Species Specificity:

human, mouse, rat

Cited Species:

human

Positive Controls:

WB : A431 cells, mouse brain tissue, rat brain tissue, rat cerebellum tissue, rat kidney tissue

IF : PC-3 cells, SH-SY5Y cells

## Background Information

Neurotrophin 4 (NT-4) belongs to the family of neurotrophic factors, and it interacts with the tyrosine kinase B (trkB) receptor. NT-4 has neuroprotective effects following cerebral ischemia. Its role might be similar to brain-derived neurotrophic factor (BDNF) because both interact with trkB. Exercise also improves neural function by increasing neurotrophic factors. NT-4 exists in two forms, either as a dimer (80 kDa) or as a monomer (40-47 kDa) (PMID: 23526925).

## Notable Publications

Author	Pubmed ID	Journal	Application
Zhou Yang	31190895	Onco Targets Ther	WB
Zhou Yang	32236587	Int J Oncol	WB,IHC,IF,CoIP

## Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:


T: 4006900926

E: [Proteintech-CN@ptglab.com](mailto:Proteintech-CN@ptglab.com)


W: [ptgcn.com](http://ptgcn.com)

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

## Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 12297-1-AP (Neurotrophin 4 antibody) at dilution of 1:1500 incubated at room temperature for 1.5 hours.



Immunofluorescent analysis of PC-3 cells using 12297-1-AP (Neurotrophin 4 antibody) at dilution of 1:25 and Alexa Fluor 488-conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).