For Research Use Only

## CPB1 Polyclonal antibody

Catalog Number: 12600-1-AP 3 Publications





| Basic Information                              | Catalog Number:   | GenBank Accession Number:   | Purification Method:  |  |
|--|---|---|---|--|
|  | 12600-1-AP  | BC015338  | Antigen affinity purification   |  |
|  | Size:<br>400 µg/ml  | GenelD (NCBI):<br>1360  | Recommended Dilutions:<br>WB 1:500-1:2000   |  |
|  | Source:   | UNIPROT ID:   | IHC 1:50-1:500  |  |
|  | Rabbit  | P15086  |   |  |
|  | lsotype:<br>IgG   | Full Name:<br>carboxypeptidase B1 (tissue)  |   |  |
|  | Immunogen Catalog Number:<br>AG3243   | Calculated MW:<br>417 aa, 47 kDa  |   |  |
|  |   | Observed MW:<br>47 kDa  |   |  |
| Applications                                   | Tested Applications:  | Positiv   | Positive Controls:  |  |
|  | IHC, WB,ELISA   | WB : mo   | ouse pancreas tissue, rat pancreas tissue   |  |
|  | Cited Applications:<br>WB, IHC  |   | IHC : human pancreas tissue, human kidney tissue,<br>human pancreas cancer tissue                                 |  |
|  | Species Specificity:<br>human, mouse, rat   |   |   |  |
|  | Cited Species:<br>human, rat  |   |   |  |
|  | Note-IHC: suggested antige<br>TE buffer pH 9.0; (*) Altern<br>retrieval may be performed<br>buffer pH 6.0   | atively, antigen  |   |  |
|  | PASP(pancreas-specific protein) is also named as CPB1, CPB, PCPB and belongs to the peptidase M14 family. This<br>protein modulates the plasminogen system both in the matrix and on the cell surface, thus leading to the inhibiti<br>of endothelial cell movement and tube formation. It is initially described as a pancreatic metallocarboxypeptida<br>and is a marker for acute pancreatitis(PMID:19717511). The deduced 416-amino acid preproenzyme has a 15-ami<br>acid signal peptide and a 95-amino acid activation peptide. |   |   |  |
| Background Information                         | of endothelial cell movement and<br>and is a marker for acute pancrea   | d tube formation. It is initially descritis(PMID:19717511). The deduced   | ibed as a pancreatic metallocarboxypeptid   |  |
|  | of endothelial cell movement and<br>and is a marker for acute pancrea<br>acid signal peptide and a 95-amin  | d tube formation. It is initially descritis(PMID:19717511). The deduced   | ibed as a pancreatic metallocarboxypeptid   |  |
|  | of endothelial cell movement and<br>and is a marker for acute pancrea<br>acid signal peptide and a 95-amin  | d tube formation. It is initially descu<br>titis(PMID:19717511). The deduced<br>no acid activation peptide.   | ibed as a pancreatic metallocarboxypeptid<br>416-amino acid preproenzyme has a 15-am<br>Application               |  |
|  | of endothelial cell movement and<br>and is a marker for acute pancrear<br>acid signal peptide and a 95-amin<br>Author<br>Xiaohua Li   | d tube formation. It is initially descritis(PMID:19717511). The deduced no acid activation peptide. Pubmed ID Journal   | ribed as a pancreatic metallocarboxypeptid<br>416-amino acid preproenzyme has a 15-am<br>Application<br>Obstet WB |  |
| Background Information<br>Notable Publications | of endothelial cell movement and<br>and is a marker for acute pancrear<br>acid signal peptide and a 95-amin<br>Author<br>Xiaohua Li<br>Charu Kothari  | d tube formation. It is initially descritis(PMID:19717511). The deduced no acid activation peptide.           Pubmed ID         Journal           30649603         Arch Gynecol O | ribed as a pancreatic metallocarboxypeptid<br>416-amino acid preproenzyme has a 15-am<br>Application<br>Obstet WB |  |

For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

## Selected Validation Data





mouse pancreas tissue were subjected to SDS PAGE followed by western blot with 12600-1-AP (CPB1 antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.

Immunohistochemical analysis of paraffinembedded human pancreas tissue slide using 12600-1-AP (CPB1 antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human pancreas tissue slide using 12600-1-AP (CPB1 antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).