For Research Use Only

CA7 Polyclonal antibody

Catalog Number: 13670-1-AP

1 Publications



Basic Information

Catalog Number: 13670-1-AP

Size: 450 µg/ml Source:

Source: UNIPROT ID: Rabbit P43166
Isotype: Full Name:

IgG carbonic anhydrase VII
Immunogen Catalog Number: Calculated MW:

AG4649 264 aa, 30 kDa

Observed MW:
30 kDa

Applications
Tested Applications:
IF/ICC, IHC, WB, EUSA

Cited Applications:

IF

Species Specificity: human, mouse, rat Cited Species:

human, mouse, pig, rat

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Purification Method:

Antigen affinity purification Recommended Dilutions:

WB 1:1000-1:8000 IHC 1:250-1:1000 IF 1:50-1:500

Positive Controls:

WB: HEK-293 cells, mouse kidney tissue, rat kidney

tissue

GenBank Accession Number:

BC033865

GeneID (NCBI):

IHC: human liver cancer tissue, human kidney tissue,

human stomach tissue

IF: HeLa cells,

Background Information

Notable Publications

Author	Pubmed ID	Journal	Application
Haonan Li	35511361	Cell Regen	IF

Storage

Storage:


Store at -20°C. Stable for one year after shipment.

Storage Buffer:


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 13670-1-AP (CA7 antibody) at dilution of 1:4000 incubated at room temperature for 1.5 hours.



Immunofluorescent analysis of (-20°C Ethanol) fixed Hela cells using 13670-1-AP (CA7 antibody) at dilution of 1:50 and Alexa Fluor 488-conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).



Immunohistochemical analysis of paraffinembedded human liver cancer tissue slide using 13670-1-AP (CA7 antibody) at dilution of 1:500 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human liver cancer tissue slide using 13670-1-AP (CA7 antibody) at dilution of 1:500 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).