

For Research Use Only

# VAPA Polyclonal antibody

Catalog Number: 15275-1-AP

Featured Product

31 Publications



## Basic Information

### Catalog Number:

15275-1-AP

### Source:

Rabbit

### Isotype:

IgG

### Immunogen Catalog Number:

AG7393

### GenBank Accession Number:

BC002992

### GeneID (NCBI):

9218

### UNIPROT ID:

Q9P0LO

### Full Name:

VAMP (vesicle-associated membrane protein)-associated protein A, 33kDa

### Calculated MW:

28 kDa

### Observed MW:

28-30 kDa

### Purification Method:

Antigen affinity purification

### Recommended Dilutions:

WB: 1:2000-1:16000

IP: 0.5-4.0 ug for 1.0-3.0 mg of total protein lysate

IHC: 1:200-1:1600

IF/ICC: 1:200-1:800

## Applications

### Tested Applications:

WB, IHC, IF/ICC, IP, ELISA

### Cited Applications:

WB, IHC, IF, COIP

### Species Specificity:

human, mouse, rat

### Cited Species:

human, mouse, rat, monkey

**Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0**

### Positive Controls:

**WB** : HepG2 cells, HEK-293 cells, mouse skeletal muscle tissue, human kidney tissue, human brain tissue, mouse kidney tissue, mouse liver tissue, rat liver tissue

**IP** : HEK-293 cells,

**IHC** : human colon cancer tissue, human liver cancer tissue, mouse brain tissue, mouse heart tissue

**IF/ICC** : HepG2 cells, HEK-293 cells

## Background Information

VAPA (Vesicle-associated membrane protein-associated protein A), also known as VAP33, is a ubiquitously expressed integral membrane protein of the VAMP-associated protein (VAP) family. It is present in the plasma membrane and in intracellular vesicles, playing a role in vesicle trafficking.

## Notable Publications

Author	Pubmed ID	Journal	Application
Qiaoxia Zheng	36198318	Cell	WB, COIP
Norihiro Kotani	36152751	J Biol Chem	WB, IF
Yan G Zhao	28890335	Mol Cell	COIP

## Storage

### Storage:

Store at -20°C. Stable for one year after shipment.

### Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol, pH7.3

Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:


T: 4006900926

E: [Proteintech-CN@ptglab.com](mailto:Proteintech-CN@ptglab.com)


W: [ptgcn.com](http://ptgcn.com)

**This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.**


Selected Validation Data




HepG2 cells were subjected to SDS PAGE followed by western blot with 15275-1-AP (VAPA antibody) at dilution of 1:8000 incubated at room temperature for 1.5 hours.




Immunohistochemical analysis of paraffin-embedded human colon cancer tissue slide using 15275-1-AP (VAPA antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).




Immunohistochemical analysis of paraffin-embedded human colon cancer tissue slide using 15275-1-AP (VAPA antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).




IP result of anti-VAPA (IP:15275-1-AP, 3ug; Detection:15275-1-AP 1:1000) with HEK-293 cells lysate 3200ug.



Immunofluorescent analysis of (-20°C Ethanol) fixed HepG2 cells using VAPA antibody (15275-1-AP) at dilution of 1:200 and CoraLite®488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).



Immunohistochemical analysis of paraffin-embedded mouse brain tissue slide using 15275-1-AP (VAPA antibody) at dilution of 1:800 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (-20°C Ethanol) fixed HepG2 cells using VAPA antibody (15275-1-AP) at dilution of 1:400 and CoraLite®488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L), CL594-phalloidin (red).