For Research Use Only

IKBKB Polyclonal antibody

Catalog Number: 15649-1-AP

Featured Product

79 Publications



Purification Method:

WB 1:300-1:1000

IHC 1:50-1:500

Antigen affinity purification Recommended Dilutions:

Basic Information

Catalog Number: GenBank Accession Number: 15649-1-AP BC006231
Size: GeneID (NCBI): 400 µg/ml 3551
Source: UNIPROT ID:

Source: UNIPROT ID:
Rabbit 014920
Isotype: Full Name:
IgG inhibitor of kappa light polypeptide

Immunogen Catalog Number:

AG8191

Calculated MW:

756aa,81 kDa; 256aa,29 kDa

Observed MW:

80 kDa, 86 kDa, 87 and 29 kDa

gene enhancer in B-cells, kinase beta

Applications

Tested Applications:

IHC, WB, ELISA
Cited Applications:
IF, IHC, IP, WB
Species Specificity:

human, mouse, rat Cited Species: human, rat, mouse

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0 Positive Controls:

WB: Jurkat cells, K-562 cells, HepG2 cells

IHC : human liver cancer tissue, human prostate cancer

tissue

Background Information

IKBKB, also named as IKKB, IKK2, NFKBIKB and IKK-B, belongs to the protein kinase superfamily, Ser/Thr protein kinase family and I-kappa-B kinase subfamily. IKBKB is a Serine kinase that plays an essential role in the NF-kappa-B signaling pathway. It acts as part of the canonical IKK complex in the conventional pathway of NF-kappa-B activation and phosphorylates inhibitors of NF-kappa-B on 2 critical serine residues. In addition to the NF-kappa-B inhibitors, IKBKB phosphorylates several other components of the signaling pathway including NEMO/IKBKG, NF-kappa-B subunits RELA and NFKB1, as well as IKK-related kinases TBK1 and IKBKE. It also phosphorylates other substrates including NCOA3, BCL10 and IRS1. Within the nucleus, IKBKB acts as an adapter protein for NFKBIA degradation in UV-induced NF-kappa-B activation. This antibody can identify 4 isoform of IKBKB with the molecular weight of 80, 86, 87 and 29 kDa.

Notable Publications

Author	Pubmed ID	Journal	Application
Xin Shen	36184549	Int Heart J	WB
Yanliang Wu	34601083	J Ethnopharmacol	WB
Wenbin Pei	34650433	Front Pharmacol	WB

Storage

Storage


Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


Selected Validation Data




WB result of IKBKB antibody (15649-1-AP; 1:300; incubated at room temperature for 1.5 hours) with sh-Control and sh-IKBKB transfected Jurkat cells.



Jurkat cells were subjected to SDS PAGE followed by western blot with 15649-1-AP (IKBKB antibody) at dilution of 1:600 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human liver cancer tissue slide using 15649-1-AP (IKBKB antibody) at dilution of 1:200 (under 10x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human liver cancer tissue slide using 15649-1-AP (IKBKB antibody) at dilution of 1:200 (under 40x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).