## For Research Use Only

## FAAH Polyclonal antibody

Catalog Number: 17909-1-AP

**Featured Product** 

**5 Publications** 



**Basic Information** 

Catalog Number: GenBank Accession Number: 17909-1-AP BC093632 GeneID (NCBI): Size: 500 μg/ml 2166 **UNIPROT ID:** Source: Rabbit 000519 Full Name:

fatty acid amide hydrolase

Calculated MW: Immunogen Catalog Number: AG12304 579 aa, 63 kDa Observed MW:

55-65 kDa

**Purification Method:** Antigen affinity purification

Recommended Dilutions:

WB 1:1000-1:5000 IP 0.5-4.0 ug for 1.0-3.0 mg of total

protein lysate IHC 1:50-1:300

**Applications** 

**Tested Applications:** IHC, IP, WB,ELISA Cited Applications: WB. IP

Isotype:

Species Specificity: human, mouse, rat **Cited Species:** human, mouse, rat

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

**Positive Controls:** 

WB: mouse liver tissue, rat testis tissue, A431 cells

IP: mouse liver tissue,

IHC: mouse testis tissue, human placenta tissue,

human testis tissue

**Background Information** 

Fatty acid amide hydrolase (FAAH) is a membrane-bound homodimeric enzyme that in vivo controls content and biological activity of N-arachidonoylethanolamine (AEA) and other relevant bioactive lipids termed endocannabinoids. (PMID: 32041998) This antibody is specific for FAAH protein.

**Notable Publications** 

Author	Pubmed ID	Journal	Application
Yangyang Zhu	36104448	Cell Death Differ	WB,IP
Jinming Zhang	32198011	Neuroscience	WB
Shuting Xia	27296803	Elife	WB

Storage

Storage:


Store at -20°C. Stable for one year after shipment.

Storage Buffer:


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


## **Selected Validation Data**



mouse liver tissue were subjected to SDS PAGE followed by western blot with 17909-1-AP (FAAH antibody) at dilution of 1:2500 incubated at room temperature for 1.5 hours.




IP result of anti-FAAH (IP:17909-1-AP, 4ug; Detection:17909-1-AP 1:500) with mouse liver tissue lysate 6400 ug.



WB result of FAAH antibody (17909-1-AP; 1:300; incubated at room temperature for 1.5 hours) with sh-Control and sh-FAAH transfected A431 cells.



Immunohistochemical analysis of paraffinembedded mouse testis tissue slide using 17909-1-AP (FAAH antibody) at dilution of 1:200 (under 10x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded mouse testis tissue slide using 17909-1-AP (FAAH antibody) at dilution of 1:200 (under 40x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).