For Research Use Only

BMPR2 Polyclonal antibody

Catalog Number: 19087-1-AP

Featured Product

6 Publications



Basic Information

Catalog Number: 19087-1-AP Size:

400 μg/ml Source: Rabbit Isotype:

Immunogen Catalog Number:

AG5868

GenBank Accession Number:

BC052985 GeneID (NCBI):

UNIPROT ID: Q13873 Full Name:

bone morphogenetic protein receptor, type II (serine/threonine kinase)

Calculated MW: 115 kDa

Observed MW: 120 kDa

Applications

Tested Applications: FC, IHC, IP, WB, ELISA

Cited Applications:

Species Specificity: human, mouse, rat **Cited Species:** human, mouse, rat

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate

buffer pH 6.0

Purification Method:

Antigen affinity purification

Recommended Dilutions:

WB 1:1000-1:6000 IP 0.5-4.0 ug for 1.0-3.0 mg of total

protein lysate

IHC 1:50-1:500

Positive Controls:

WB: human heart tissue, mouse brain tissue

IP: mouse brain tissue, IHC: human heart tissue,

Background Information

BMPs (bone morphogenetic protein) are involved in endochondral bone formation and embryogenesis. BMPR2 encodes a member of the (BMP) receptor family of transmembrane serine/threonine kinases. It is a widely expressed receptor, with high mRNA expression during development in many tissues. Dimer of BMPR2 receptors (70-80 kD) forms a complex with a dimer of type I BMPR1(50-55 kD) in signal transduction. This antibody recognizes endogenous levels of total BMPR2 protein, including 115 kD precursor, 75 kD mature form and 150 kD dimer.

Notable Publications

Author	Pubmed ID	Journal	Application
Sanna Vattulainen-Collanus	30272025	Commun Biol	WB
Yongyi Bai	34546460	Basic Res Cardiol	WB,IF
Ling Guo	31578224	J Cell Biol	

Storage

Store at -20°C. Stable for one year after shipment.

Storage Buffer:


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


Selected Validation Data




Immunohistochemical analysis of paraffinembedded human heart tissue slide using 19087-1-AP (BMPR2 antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).




Immunohistochemical analysis of paraffinembedded human heart tissue slide using 19087-1-AP (BMPR2 antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



human heart tissue were subjected to SDS PAGE followed by western blot with 19087-1-AP (BMPR2 antibody) at dilution of 1:400 incubated at room temperature for 1.5 hours.



IP result of anti-BMPR2 (IP:19087-1-AP, 4ug; Detection:19087-1-AP 1:1500) with mouse brain tissue lysate 4000ug.



1X10^6 PC-3 cells were stained with 0.2ug BMPR2 antibody (19087-1-AP, red) and control antibody (blue). Fixed with 4% PFA blocked with 3% BSA (30 min). Alexa Fluor 488-conjugated AffiniPure Goat Anti-Rabbit IgG(H+L) with dilution 1:1500.