## For Research Use Only

# ACSL3 Polyclonal antibody

Catalog Number:20710-1-AP

Featured Product

12 Publications



**Basic Information** 

Catalog Number: 20710-1-AP Size:

750 µg/ml Source: Rabbit

Isotype: IgG GenBank Accession Number:

NM\_004457 GeneID (NCBI): 2181 UNIPROT ID: 095573 Full Name:

acyl-CoA synthetase long-chain

family member 3 Calculated MW: 80 kDa Observed MW: 70-80 kDa Purification Method: Antigen affinity purification Recommended Dilutions:

WB 1:2000-1:12000

**Applications** 

Tested Applications:

WB, ELISA
Cited Applications:

WB, IHC

Species Specificity: human, mouse Cited Species: human, mouse Positive Controls:

WB: HEK-293 cells, LNCaP cells, HuH-7 cells

# **Background Information**

ACSL3, also named as ACS3, FACL3 and LACS3, belongs to the ATP-dependent AMP-binding enzyme family. Acyl-CoA synthetases (ACSL) activate long-chain fatty acids for both synthesis of cellular lipids, and degradation via beta-oxidation. ACSL3 mediates hepatic lipogenesis. Preferentially uses myristate, laurate, arachidonate and eicosapentaenoate as substrates. Has mainly an anabolic role in energy metabolism. Required for the incorporation of fatty acids into phosphatidylcholine, the major phospholipid located on the surface of VLDL (very low density lipoproteins). The antibody is specific to ACSL3.

#### **Notable Publications**

Author	Pubmed ID	Journal	Application
Mahmood Hassan Dalhat	36149760	Clin Transl Med	WB
Xiangjun Cheng	33222186	J Appl Toxicol	WB
Yingmei Luo	33221320	Chem Biol Interact	WB

Storage

Storage:


Store at -20°C. Stable for one year after shipment.

Storage Buffer


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


## Selected Validation Data



WB result of ACSL3 antibody (20710-1-AP; 1:500; incubated at room temperature for 1.5 hours) with sh-Control and sh-ACSL3 transfected HEK-293 cells.



Various lysates were subjected to SDS PAGE followed by western blot with 20710-1-AP (ACSL3 antibody) at dilution of 1:6000 incubated at room temperature for 1.5 hours.



LNCaP cells were subjected to SDS PAGE followed by western blot with 20710-1-AP (ACSL3 antibody) at dilution of 1:1500 incubated at room temperature for 1.5 hours.