## For Research Use Only

## WDR24 Polyclonal antibody

Catalog Number:20778-1-AP

Featured Product

22 Publications




Basic Information	Catalog Number: 20778-1-AP	GenBank Accession Number: BC008025		Purification Method: Antigen affinity purification	
	Size:	750 µg/ml 84219		Recommended Dilutions:	
	0			WB 1:500-1:2000 IP 0.5-4.0 ug for 1.0-3.0 mg of total protein lysate	
	Source: UNIPROT ID: Rabbit 096515				
		Isotype: Full Name: IgG WD repeat domain 24		IHC 1:50-1:500	
				IF 1:10-1:100	
	Immunogen Catalog Number: AG14774	Calculated MW: 920 aa, 102 kDa			
	Observed MW: 102 kDa, 88 kDa				
Applications	Tested Applications:	pplications: Positive Controls:			
	IF/ICC, IHC, IP, WB, ELISA		WB: HEK-2	WB : HEK-293 cells, mouse brain tissue, HeLa cells	
	Cited Applications: IP : He WB, IP, IF, CoIP		IP : HeLa ce	ells,	
	Species Specificity:		IHC : huma human ova	n colon cancer tissue, human colon tissue Iry tissue	
	Cited Species: IF : Hela cells, HepG2			lls, HepG2 cells	
	human, rat, mouse				
	Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0				
Background Information	Seh1L). GATOR2 complex positiv	ely regulates mTOR	C1 signaling by act	bunits (WDR24, WDR59, Mios, Sec13, and ing upstream of or in parallel to GATOR1, pitor of the amino-acid-sensing pathway.	
Notable Publications	Author	Pubmed ID	Journal	ournal Application	
	Jacqueline Morales	36282590	JCI Insight WB		
			0		
	Marcel Seibert	36444289	MethodsX	WB,IP	
	•	36444289 34795452	MethodsX Nature	WB,IP IP,WB	


For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


## Selected Validation Data




WB result of WDR24 antibody (20778-1-AP; 1:3000; incubated at room temperature for 1.5 hours) with sh-Control and sh-WDR24 transfected HEK-293 cells.




Various lysates were subjected to SDS PAGE followed by western blot with 20778-1-AP (WDR24 antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.




IP result of anti-WDR24 (IP:20778-1-AP, 4ug; Detection:20778-1-AP 1:3000) with HeLa cells lysate 1560 ug.



Immunohistochemical analysis of paraffinembedded human colon cancer tissue slide using 20778-1-AP (WDR24 antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human colon cancer tissue slide using 20778-1-AP (WDR24 antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of Hela cells, using WDR24 antibody 20778-1-AP at 1:25 dilution and Rhodamine-labeled goat anti-rabbit IgG (red).