For Research Use Only

CD37 Polyclonal antibody Catalog Number:21044-1-AP 2 Publications





Basic Information	Catalog Number: 21044-1-AP	GenBank Accession Number: BC 110379	Purification Method: Antigen affinity purification	
	Concentration: 550 ug/ml	GenelD (NCBI): 951	Recommended Dilutions: WB 1:500-1:1000	
	Source: Rabbit	UNIPROT ID: P11049	IHC 1:1000-1:4000	
	lsotype: IgG	Full Name: CD37 molecule		
	Immunogen Catalog Number: AG15384	Calculated MW: 281 aa, 32 kDa		
		Observed MW: 40 kDa		
Applications	Tested Applications:	WB, IHC, ELISA WB : Daudi cells,		
	IHC, IF	IHC : human tonsillitis tissue,		
	Species Specificity: human			
	Cited Species: human, mouse			
	Note-IHC: suggested antig TE buffer pH 9.0; (*) Alteri retrieval may be performe buffer pH 6.0	natively, antigen		
Background Informatic	CD37 is a membrane protein of the tetraspanin superfamily which are characterized by the presence of four conserved transmembrane regions. Many of these members are expressed on leukocytes and have been implicated in signal transduction, cell-cell interactions, and cellular activation and development. CD37 plays a role in B-cell function, and may also play a role in T-cell-B-cell interactions (PMID: 10891477).			
Notable Publications	Author	Pubmed ID Journal	Application	
	Xuejun Yan	34755091 iScience	IHC,IF	
	Danique Giesen	35428777 Sci Rep	IHC	
Storage	Storage: Store at -20°C. Stable for one yea Storage Buffer: PBS with 0.02% sodium azide ar Aliguoting is unnecessary for -20	nd 50% glycerol		

For technical support and original validation data for this product please contact: E: Proteintech-CN@ptglab.com T: 4006900926 W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data





Immunohistochemical analysis of paraffinembedded human tonsillitis tissue slide using 21044-1-AP (CD37 antibody) at dilution of 1:2000 (under 20x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human tonsillitis tissue slide using 21044-1-AP (CD37 antibody) at dilution of 1:2000 (under 20x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).

Daudi cells were subjected to SDS PAGE followed by western blot with 21044-1-AP (CD37 antibody) at dilution of 1:500 incubated at room temperature for 1.5 hours.