## For Research Use Only

# NF2 Polyclonal antibody

Catalog Number: 21686-1-AP

7 Publications



**Basic Information** 

Catalog Number: 21686-1-AP Size:

300 μg/ml

Source: Rabbit Isotype:

gG neurofibromin 2 (merlin)

Immunogen Catalog Number:Calculated MW:AG16265595 aa, 70 kDa

Observed MW: 66-70 kDa

BC020257

4771

P35240

GeneID (NCBI):

**UNIPROT ID:** 

Full Name:

GenBank Accession Number:

Purification Method:

Antigen affinity purification

Recommended Dilutions: WB 1:2000-1:16000

IP 0.5-4.0 ug for 1.0-3.0 mg of total

protein lysate IHC 1:750-1:3000 IF 1:50-1:500

**Applications** 

Tested Applications: IF/ICC, IHC, IP, WB, ELISA Cited Applications:

WB, IF, IHC
Species Specificity:

human, mouse, rat, canine Cited Species: human, rat, mouse

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0 Positive Controls:

WB: HeLa cells, HepG2 cells, MCF-7 cells, HEK-293 cells, Jurkat cells, SH-SY5Y cells, NIH/3T3 cells, MDCK cells, mouse brain tissue, rat brain tissue

IP: HeLa cells,

IHC: mouse brain tissue, human meningioma tissue

IF: HeLa cells,

# **Background Information**

#### **Notable Publications**

Author	Pubmed ID	Journal	Application
Hua-Chun Rao	33061594	Cancer Manag Res	WB
Chunxiao Yu	30244634	Thyroid	WB
Lai Wei	33116587	Onco Targets Ther	IF

Storage

Storage:


Store at -20°C. Stable for one year after shipment.

Storage Buffer


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


### **Selected Validation Data**




Various lysates were subjected to SDS PAGE followed by western blot with 21686-1-AP (NF2 antibody) at dilution of 1:8000 incubated at room temperature for 1.5 hours.




Immunohistochemical analysis of paraffinembedded mouse brain tissue slide using 21686-1-AP (NF2 antibody) at dilution of 1:1500 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



IP result of anti-NF2 (IP:21686-1-AP, 4ug; Detection:21686-1-AP 1:5000) with HeLa cells lysate 1560 ug.




Immunohistochemical analysis of paraffinembedded human meningioma tissue slide using 21686-1-AP (NF2 Antibody) at dilution of 1:50 (under 10x lens).



Immunohistochemical analysis of paraffinembedded human meningioma tissue slide using 21686-1-AP (NF2 Antibody) at dilution of 1:50 (under 40x lens).



Immunofluorescent analysis of (10% Formaldehyde) fixed HeLa cells using 21686-1-AP (NF2 antibody) at dilution of 1:50 and Alexa Fluor 488-conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).



Immunohistochemical analysis of paraffinembedded mouse brain tissue slide using 21686-1-AP (NF2 antibody) at dilution of 1:1500 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).