

SMAD3 Polyclonal antibody

Catalog Number: 25494-1-AP

Featured Product

71 Publications

Basic Information

Catalog Number:

25494-1-AP

Size:

340 µg/ml

Source:

Rabbit

Isotype:

IgG

GenBank Accession Number:

NM_005902

GeneID (NCBI):

4088

UNIPROT ID:

P84022

Full Name:

SMAD family member 3

Calculated MW:

48 kDa

Observed MW:

48 kDa

Purification Method:

Antigen affinity purification

Recommended Dilutions:

WB 1:500-1:1000

IHC 1:50-1:500

IF 1:10-1:100

Applications

Tested Applications:

IF/ICC, IHC, WB, ELISA

Cited Applications:

WB, IF, IHC

Species Specificity:

human, rat, mouse

Cited Species:

human, rat, mouse, canine, Bovine

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB: Jurkat cells, A431 cells, A549 cells, HeLa cells, SH-SY5Y cells

IHC: human colon cancer tissue, human liver cancer tissue

IF: HeLa cells,

Background Information

SMAD3, also named as hMAD 3 or Mad3, is a 425 amino acid protein, which contains one MH1 domain and one MH2 domain. SMAD3 localizes in the nucleus and cytoplasm. SMAD3 plays an essential role in development and maintenance of self-tolerance and is a critical mediator of the TGFβ signaling pathway. SMAD3 is involved in TGFβ dependent regulation of steroidogenesis and in T-cell response to TGFβ.

Notable Publications

Author	Pubmed ID	Journal	Application
Kexin Ma	32961493	Ecotoxicol Environ Saf	WB, IF
Yong Xu	34630661	Exp Ther Med	WB
Shuyuan Chu	31496319	Exp Lung Res	IHC

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


For technical support and original validation data for this product please contact:

T: 4006900926


E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data



Jurkat cells were subjected to SDS PAGE followed by western blot with 25494-1-AP (SMAD3 Antibody) at dilution of 1:600 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffin-embedded human colon cancer tissue slide using 25494-1-AP (SMAD3 Antibody) at dilution of 1:50 (under 40x lens).



Immunofluorescent analysis of HeLa cells using 25494-1-AP (SMAD3 antibody) at dilution of 1:25 and Rhodamine-Goat anti-Rabbit IgG.