For Research Use Only

CERK Polyclonal antibody

Catalog Number: 25731-1-AP



Basic Information

Catalog Number: GenBank Accession Number: 25731-1-AP BC126940 GeneID (NCBI): Size: 900 µg/ml 64781 **UNIPROT ID:** Source: Rabbit Q8TCT0 Full Name: Isotype: ceramide kinase

Calculated MW: Immunogen Catalog Number: AG22774 537 aa, 60 kDa, 38 kDa

Observed MW: 38 kDa

Purification Method: Antigen affinity purification Recommended Dilutions: WB 1:500-1:1000 IHC 1:50-1:500

Applications

Tested Applications: IHC, WB,ELISA Species Specificity:

human, mouse

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

IHC: mouse heart tissue, human breast cancer tissue

WB: mouse heart tissue, mouse liver tissue

Background Information

Ceramide kinase (CERK) is a crucial lipid kinase that specifically catalyses ceramide (CER) to ceramide-1phosphate. It plays a vital role in biological functions and certain diseases, including aberrant wound healing (PMID: 24823941), obesity-diabetes (PMID: 22465662), mesangio-proliferativekidney diseases (PMID: 25134723), cancer (PMID: 25164007) and neuroblastoma (PMID: 22579669). CERK has 2 isoforms with the molecular weight of 60 and 38 kDa.

Storage

Storage:


Store at -20°C. Stable for one year after shipment.

Storage Buffer:


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


Selected Validation Data



mouse heart tissue were subjected to SDS PAGE followed by western blot with 25731-1-AP (CERK antibody) at dilution of 1:500 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded mouse heart tissue slide using 25731-1-AP (CERK antibody) at dilution of 1:200 (under 10x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded mouse heart tissue slide using 25731-1-AP (CERK antibody) at dilution of 1:200 (under 40x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).