For Research Use Only

ADAM10 Polyclonal antibody

Catalog Number:25900-1-AP

Featured Product

18 Publications

BC126253

GenBank Accession Number:



Basic Information

Catalog Number: 25900-1-AP

 Size:
 GeneID (NCBI):

 400 µ g/ml
 102

 Source:
 UNIPROT ID:

Source: UNIPROT ID:
Rabbit 014672
Isotype: Full Name:

IgG ADAM metallopeptidase domain 10

Immunogen Catalog Number:Calculated MW:AG23078748 aa, 84 kDa

Observed MW: 60-70 kDa, 90 kDa

Applications

Tested Applications: IHC, WB, ELISA Cited Applications:

IF, IHC, WB Species Specificity: human, mouse Cited Species: human, rat, mouse

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0 Positive Controls:

WB: NIH/3T3 cells, mouse brain tissue, rat brain tissue

Purification Method:

WB 1:500-1:2000 IHC 1:50-1:500

Antigen affinity purification

Recommended Dilutions:

IHC: human lung cancer tissue, human pancreas

cancer tissue

Background Information

ADAM10, a member of the ADAM (a disintegrin and metalloprotease) family, is widely expressed in the brain, the spinal cord, and the visual system during development.MW of premature ADAM10 is 90 kDa and mature ADAM10 is 60-70 kDa (PMID: 24404179).

Notable Publications

| Author | Pubmed ID | Journal | Application |
|-----------|-----------|---------------------|-------------|
| Lina Sun | 33043016 | Front Cell Dev Biol | WB |
| Bo Wu | 28703811 | Cell Death Dis | WB,IF |
| Yao Zhang | 30632006 | Neurosci Bull | WB |

Storage

Storage:


Store at -20°C. Stable for one year after shipment.

Storage Buffer:


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


Selected Validation Data



Immunohistochemical analysis of paraffinembedded human lung cancer tissue slide using 25900-1-AP (ADAM10 antibody) at dilution of 1:200 (under 10x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human lung cancer tissue slide using 25900-1-AP (ADAM10 antibody) at dilution of 1:200 (under 40x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Various lysates were subjected to SDS PAGE followed by western blot with 25900-1-AP (ADAM10 antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.