

For Research Use Only

KIF14 Polyclonal antibody

Catalog Number: 26000-1-AP



Basic Information

Catalog Number:

26000-1-AP

Size:

500 µg/ml

Source:

Rabbit

Isotype:

IgG

Immunogen Catalog Number:

AG23219

GenBank Accession Number:

BC113742

GeneID (NCBI):

9928

UNIPROT ID:

Q15058

Full Name:

kinesin family member 14

Purification Method:

Antigen affinity purification

Recommended Dilutions:

WB 1:200-1:1000

IP 0.5-4.0 µg for 1.0-3.0 mg of total protein lysate

IHC 1:50-1:500

Applications

Tested Applications:

IHC, IP, WB, ELISA

Species Specificity:

human

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB : T-47D cells, HEK-293T cells, HeLa cells

IP : HEK-293T cells,

IHC : human prostate cancer tissue,

Background Information

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com


W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




T-47D cells were subjected to SDS PAGE followed by western blot with 26000-1-AP (KIF14 antibody) at dilution of 1:300 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffin-embedded human prostate cancer tissue slide using 26000-1-AP (KIF14 antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



IP result of anti-KIF14 (IP:26000-1-AP, 4ug; Detection:26000-1-AP 1:300) with HEK-293T cells lysate 4000 ug.



Immunohistochemical analysis of paraffin-embedded human prostate cancer tissue slide using 26000-1-AP (KIF14 antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).