For Research Use Only

APP Polyclonal antibody Catalog Number: 27320-1-AP 2 Publications




Basic Information	Catalog Number: 27320-1-AP	GenBank Accession Number: BC004369		Purification Method: Antigen affinity purification
	Size:	GenelD (NCBI):		Recommended Dilutions:
	500 ug/ml	351 UNIPROT ID: P05067		WB 1:500-1:1000 IHC 1:50-1:500
	Source: Rabbit			
	Isotype: Full Name: IgG amyloid beta (A4) precursor protein			
	Immunogen Catalog Number: AG26299	Calculated MW: 87 kDa		
	Observed MW: 100 kDa			
Applications	Tested Applications:	Positive Con		rols:
	WB, IHC, ELISA Cited Applications: WB, IHC		WB : fetal human brain tissue, HEK-293T cells, U-251 cells, mouse brain tissue, HeLa cells, rat brain tissue, MDA-MB-231 cells	
	Species Specificity: human, mouse, rat		IHC : mouse brain tissue, human gliomas tissue	
	Cited Species: human, mouse			
	Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0			
Background Information	A β derives from APP via proteolytic cleavage by proteases called α -, β - and γ -secretase. The α -secretase cleavage precludes the formation of A β , while the β - and γ -cleavages generate APP components with amyloidogenic features. Amyloid beta A4 precursor protein(APP), encoded by APP gene which locate on human chromosome 21q, is a cell surface receptor and performs physiological functions on the surface of neurons relevant to neurite growth, neuronal adhesion and axonogenesis. APP expressed in all fetal tissues and is pronounced in brain, kidney, heart and spleen, but weak in liver. Defects in APP are the cause of Alzheimer disease type 1 (AD1). Amyloid β (A β) precursor protein (APP) is a 100-140 kDa transmembrane glycoprotein that exists as several isoforms. APP can be cleaved into several chains, this antibody could recognize N-terminal fragment of APP (N-APP)			
Notable Publications	Author	Pubmed ID Journ	al	Application
	Yaqi Wang	35883144 Alzhe	imers Res Ther	WB
	Seda Kose	37269967 Brain	Res	IHC
Storage	Storage: Store at -20°C. Stable for one yea Storage Buffer: PBS with 0.02% sodium azide an			

For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 27320-1-AP (beta Amyloid antibody) at dilution of 1:800 incubated at room temperature for 1.5 hours. Immunohistochemical analysis of paraffinembedded mouse brain tissue slide using 27320-1-AP (beta Amyloid antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded mouse brain tissue slide using 27320-1-AP (beta Amyloid antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).