

For Research Use Only

FBXW7 Polyclonal antibody

Catalog Number: 28424-1-AP

Featured Product

29 Publications



Basic Information

Catalog Number:

28424-1-AP

Size:

500 µg/ml

Source:

Rabbit

Isotype:

IgG

Immunogen Catalog Number:

AG28471

GenBank Accession Number:

NM_001349798

GeneID (NCBI):

55294

UNIPROT ID:

Q969H0

Full Name:

F-box and WD repeat domain containing 7

Calculated MW:

66 kDa

Observed MW:

100-110 kDa, 66-75 kDa

Purification Method:

Antigen affinity purification

Recommended Dilutions:

WB 1:500-1:2000

IHC 1:50-1:500

Applications

Tested Applications:

IHC, WB, ELISA

Cited Applications:

WB, IP, IHC, IF

Species Specificity:

Human, Mouse

Cited Species:

human, rat, mouse

Positive Controls:

WB: HEK-293 cells, HepG2 cells, MCF-7 cells, mouse brain tissue

IHC: human lung cancer tissue, human breast cancer tissue

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Background Information

FBXW7, also named as FBW7, FBX30, SEL10 and hAgo, is a substrate recognition component of a SCF (SKP1-CUL1-F-box protein) E3 ubiquitin-protein ligase complex which mediates the ubiquitination and subsequent proteasomal degradation of target proteins. It probably recognizes and binds to phosphorylated target proteins. FBXW7 is involved in the degradation of cyclin-E, MYC, NOTCH1 released notch intracellular domain (NICD), and probably PSEN1. FBXW7 is a general tumor suppressor in human cancer (PMID: 17909001). FBXW7 has 3 isoforms (α / β / γ) with the calculated molecular mass of 80 kDa, 70 kDa and 66 kDa, and apparent molecular mass of 100-110 kDa and 66-75 kDa (PMID: 31346036/PMID: 22864569). K48 autoubiquitination is consistent with maintenance of ubiquitinated FBW7 (Ub-FBW7, 200 kDa)(PMID: 32353058).

Notable Publications

Author	Pubmed ID	Journal	Application
Chien-Hung Yeh	32907612	Mol Cancer	WB
Feng Qiu	34487730	Exp Cell Res	WB, IHC
Chongyang Li	33126914	J Exp Clin Cancer Res	WB, IHC

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com


W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 28424-1-AP (FBXW7 antibody) at dilution of 1:3000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffin-embedded human lung cancer tissue slide using 28424-1-AP (FBXW7 antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).