For Research Use Only

VDAC2 Polyclonal antibody

Catalog Number: 55261-1-AP

1 Publications



Basic Information

Catalog Number: 55261-1-AP

Size: 213 µg/ml Source: Rabbit

Isotype: IgG

Calculated MW: 33 kDa Observed MW:

31-33 kDa

NM_003375

UNIPROT ID:

7417

P45880 Full Name:

GeneID (NCBI):

GenBank Accession Number:

voltage-dependent anion channel 2

Applications

Tested Applications: IHC, WB,ELISA Cited Applications:

WB

Species Specificity: human, mouse, rat Cited Species: human

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB: HepG2 cells, mouse brain tissue, HuH-7 cells IHC: human kidney tissue, human heart tissue

Purification Method:

WB 1:500-1:1000 IHC 1:20-1:200

Antigen affinity purification

Recommended Dilutions:

Background Information

VDAC2 belongs to the eukaryotic mitochondrial porin family. It forms a channel through the mitochondrial outer membrane that allows diffusion of small hydrophilic molecules. This antibody is specific to VDAC2.

Notable Publications

 Author
 Pubmed ID
 Journal
 Application

 Meiying Yang
 32901466
 Cell Physiol Biochem
 WB

Storage

Storage:


Store at -20°C.

Storage Buffer:


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


Selected Validation Data



HepG2 cells were subjected to SDS PAGE followed by western blot with 55261-1-AP (VDAC2 antibody) at dilution of 1:600 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human kidney using 55261-1-AP (VDAC2 antibody) at dilution of 1:50 (under 10x lens).



Immunohistochemical analysis of paraffinembedded human kidney using 55261-1-AP (VDAC2 antibody) at dilution of 1:50 (under 40x lens).