For Research Use Only

CDX2 Monoclonal antibody

Catalog Number:60243-1-lg Featured Product

12 Publications



Basic Information

Catalog Number: 60243-1-lg

Size:

lgG1

1000 µg/ml Source: Mouse Isotype:

Immunogen Catalog Number:

AG17644

33-40 kDa

GenBank Accession Number:

BC014461 GeneID (NCBI): 1045

UNIPROT ID: Q99626 Full Name:

caudal type homeobox 2

Calculated MW: 313 aa, 34 kDa Observed MW:

Purification Method:

Protein A purification

CloneNo.: 5A4E6

Recommended Dilutions: WB 1:1000-1:6000

IF 1:400-1:1600

Applications

Tested Applications: IF/ICC, WB, ELISA Cited Applications: WB, IF, IHC Species Specificity: human, pig

Cited Species: human

Positive Controls:

WB: COLO 320 cells, HT-29 cells, SW 1990 cells, pig

colon tissue IF: Caco-2 cells,

Background Information

CDX2, also named as Homeobox protein CDX-2, is a 313 amino acid protein, which contains one homeobox DNAbinding domain and belongs to the Caudal homeobox family. CDX2 localizes in the nucleus and is involved in the transcriptional regulation of multiple genes expression in the intestinal epithelium. The relative expression of CDX1 to CDX2 protein may be important in the anterior to posterior patterning of the intestinal epithelium and in defining patterns of proliferation and differentiation along the crypt-villus axis. Both Cdx1 and Cdx2 genes must be expressed to reduce tumorigenic potential, to increase sensitivity to apoptosis, and to reduce cell migration, suggesting that the two genes control the normal phenotype by independent pathways.

Notable Publications

Author	Pubmed ID	Journal	Application
Hui-Fang Zhang	36347997	Acta Pharmacol Sin	WB
Huiming Liu	33621200	Aging (Albany NY)	WB
Chen Liao	32064722	Mol Reprod Dev	IF

Storage

Store at -20°C. Stable for one year after shipment.


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

Selected Validation Data



COLO 320 cells were subjected to SDS PAGE followed by western blot with 60243-1-1g (CDX2 antibody) at dilution of 1:3000 incubated at room temperature for 1.5 hours.



Immunofluorescent analysis of (4% PFA) fixed Caco-2 cells using CDV2 antibody (60243-1-lg, Clone: 5A4E6) at dilution of 1:800 and CoraLite®488-Conjugated Affini Pure Goat Anti-Mouse IgG(H+L).