For Research Use Only

STXBP2 Monoclonal antibody

Catalog Number:66238-1-lg 2 Publications



Basic Information

 Catalog Number:
 GenBank Accession Number:

 66238-1-lg
 BC002869

 Size:
 GeneID (NCBI):

 2100 μ g/ml
 6813

 Source:
 UNIPROT ID:

 Mouse
 Q15833

Isotype: Full Name:
IgG1 syntaxin binding protein 2

Immunogen Catalog Number:Calculated MW:AG7640593 aa, 66 kDa

Observed MW: 66 kDa

Positive Controls:

WB: K-562 cells, fetal human brain tissue

IP: K-562 cells,

IHC: mouse brain tissue, human lung cancer tissue

Purification Method:

Protein G purification

Recommended Dilutions:

IP 0.5-4.0 ug for 1.0-3.0 mg of total

WB 1:1000-1:8000

protein lysate

IF 1:50-1:500

IHC 1:500-1:2000

CloneNo.:

3G3A12

IF: HepG2 cells,

Applications

Tested Applications: IF/ICC, IHC, IP, WB,ELISA Cited Applications: WB. IP

Species Specificity: human, mouse

Cited Species: human, mouse

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Background Information

Syntaxin-binding protein 2 (STXBP2, also known as Unc18-2) belongs to the STXBP/unc-18/SEC1 family. STXBP2 is involved in intracellular trafficking, control of SNARE (soluble NSF attachment protein receptor) complex assembly, and the release of cytotoxic granules by natural killer cells. Mutations in the STXBP2 gene are associated with familial hemophagocytic lymphohistiocytosis.

Notable Publications

| Author | Pubmed ID | Journal | Application |
|----------------------|-----------|-------------|-------------|
| Prasad V Phatarpekar | 32841357 | J Cell Biol | |
| Mina Yang | 36944334 | Immunity | WB,IP |

Storage

Storage:


Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


Selected Validation Data




K-562 cells were subjected to SDS PAGE followed by western blot with 66238-1-1g (STXBP2 Antibody) at dilution of 1:4000 incubated at room temperature for 1.5 hours.




Immunohistochemical analysis of paraffinembedded mouse brain tissue slide using 66238-1-Ig (STXBP2 antibody) at dilution of 1:1000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded mouse brain tissue slide using 66238-1-Ig (STXBP2 antibody) at dilution of 1:1000 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (10% Formaldehyde) fixed HepG2 cells using 66238-1-Ig(STXBP2 antibody) at dilution of 1:50 and Alexa Fluor 488-conjugated AffiniPure Goat Anti-Mouse IgG(H+L).



IP result of anti-STXBP2 (IP:66238-1-Ig, 5ug; Detection:66238-1-Ig 1:2000) with K-562 cells lysate 3200ug.