For Research Use Only

FOXO1 Monoclonal antibody

Catalog Number:66457-1-lg Featured Product

6 Publications

BC021981

2308

Q12778

GeneID (NCBI):

UNIPROT ID:

Full Name:

GenBank Accession Number:



Basic Information

Catalog Number: 66457-1-lg

Size: 1300 µg/ml Source:

Mouse

Isotype: lgG1

AG13296

Immunogen Catalog Number:

forkhead box O1 Calculated MW: 655 aa, 70 kDa Observed MW: 70 kDa

Purification Method:

Protein G purification

CloneNo.: 1D9A2

Recommended Dilutions:

WB 1:1000-1:6000

Applications

Tested Applications:

WB, ELISA

Cited Applications: WB, IF, CoIP

Species Specificity:

human **Cited Species:** human

Positive Controls:

WB: HeLa cells, SMMC-7721 cells, HEK-293 cells,

HepG2 cells, LO2 cells

Background Information

 $FOXO1, also \ named \ as \ FOXO1A, FKHR \ and \ FKH1, is \ a \ member \ of \ the \ FOXO \ subfamily \ of \ Forkhead \ transcription$ factors. FOXO1 is a transcription factor which acts as a regulator of cell responses to oxidative stress. FOXO1 interacts with LRPPRC and SIRT1. In the presence of KIRT1, FOXO1 mediates down-regulation of cyclin D1 and upregulation of CDKN1B levels which are required for cell transition from proliferative growth to quiescence. FOXO1 contains three predicted protein kinase B phosphorylation sites (Thr-24, Ser-256, and Ser-319) that are conserved in other FOXO proteins. The t(2;13) and the variant t(1;13) translocations generate PAX3/FKHR and PAX7/FKHR fusion proteins respectively. The resulting protein is a transcriptional activator. Defects in FOXO1 are a cause of rhabdomyosarcoma type 2 (RMS2).

Notable Publications

Author	Pubmed ID	Journal	Application
Xue Wang	33107700	Thorac Cancer	WB
Hao Zhang	34803509	Int J Biol Sci	WB
Bing Yu	34758440	Int Immunopharmacol	WB

Storage


Store at -20°C. Stable for one year after shipment.

Storage Buffer:


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 66457-1-1g (FOXO 1 antibody) at dilution of 1:3000 incubated at room temperature for 1.5 hours.



WB result of FOXO1 antibody (66457-1-1g; 1:1000; incubated at room temperature for 1.5 hours) with sh-Control and sh-FOXO1 transfected HEK-293 cells.