

For Research Use Only

# CRABP2 Monoclonal antibody

Catalog Number: 66468-1-Ig

Featured Product

1 Publications



## Basic Information

Catalog Number:

66468-1-Ig

Size:

1700 µg/ml

Source:

Mouse

Isotype:

IgG1

Immunogen Catalog Number:

AG0309

GenBank Accession Number:

BC001109

GeneID (NCBI):

1382

UNIPROT ID:

P29373

Full Name:

cellular retinoic acid binding protein

2

Calculated MW:

16 kDa

Observed MW:

14 kDa

Purification Method:

Protein A purification

CloneNo.:

1A5F3

Recommended Dilutions:

WB 1:2500-1:10000

IHC 1:250-1:1000

IF 1:50-1:500

## Applications

Tested Applications:

FC, IF-P, IHC, WB, ELISA

Cited Applications:

IF, IHC

Species Specificity:

human, mouse, rat, pig

Cited Species:

human, mouse

**Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0**

Positive Controls:

WB : T-47D cells, HEK-293 cells, MCF-7 cells, pig skin tissue, rat skin tissue

IHC : human ovary tumor tissue,

IF : human skin cancer tissue,

## Background Information

Cellular retinoic acid binding protein 2 (CRABP2, synonyms: RBP6, CRABP-II). A number of specific carrier proteins for members of the vitamin A family have been discovered. Cellular retinoic acid binding proteins (CRABP) are low molecular weight proteins whose precise function remains unknown. CRABP2 is important in retinoic acid-mediated regulation of human skin growth and differentiation. It has been postulated that the CRABP2 gene is transcriptionally regulated by a newly synthesized regulatory protein.

## Notable Publications

Author	Pubmed ID	Journal	Application
Xiaolong Tang	36195596	Cell Death Dis	IHC,IF

## Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com


W: ptgcn.com

**This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.**


## Selected Validation Data




T-47D cells were subjected to SDS PAGE followed by western blot with 66468-1-Ig (CRABP2 antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours.




WB result of CRABP2 antibody (66468-1-Ig; 1:500; incubated at room temperature for 1.5 hours) with sh-Control and sh-CRABP2 transfected HEK-293 cells.




Immunofluorescent analysis of (4% PFA) fixed human skin cancer tissue using CRABP2 antibody (66468-1-Ig, Clone: 1A5F3) at dilution of 1:100 and CoraLite®488-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L).



Immunohistochemical analysis of paraffin-embedded human ovary tumor tissue slide using 66468-1-Ig (CRABP2 antibody) at dilution of 1:500 (under 10x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffin-embedded human ovary tumor tissue slide using 66468-1-Ig (CRABP2 antibody) at dilution of 1:500 (under 40x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



$1 \times 10^6$  MCF-7 cells were intracellularly stained with 0.4 ug Anti-Human CRABP2 (66468-1-Ig, Clone:1A5F3) and CoraLite®488-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L) at dilution 1:1000 (red), or 0.4 ug Mouse IgG1 Isotype Control (MOPC-21) (65124-1-Ig, Clone: MOPC-21) (blue). Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).