### For Research Use Only

# Flightless I Monoclonal antibody

Catalog Number:67039-1-lg 2 Publications



**Basic Information** 

 Catalog Number:
 GenBank Accession Number:

 67039-1-lg
 BC025300

 Size:
 GeneID (NCBI):

 1900 μ g/ml
 2314

 Source:
 UNIPROT ID:

 Mouse
 Q13045

IgG2a flightless I homolog (Drosophila)

Immunogen Catalog Number: Calculated MW:

AG26865 1269 aa, 145 kDa

Observed MW: 145-150 kDa

Full Name:

**Applications** 

Tested Applications: IHC, WB, ELISA Cited Applications:

WB

Isotype:

Species Specificity: Human, Mouse, Rat Cited Species:

human

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0 Positive Controls:

WB: HeLa cells, HEK-293 cells, A549 cells, NCI-H1299 cells, Jurkat cells, NIH/3T3 cells, HSC-T6 cells, HepG2 cells, MCF-7 cells, NCCIT cells, HT-1080 cells, LNCaP

**Purification Method:** 

CloneNo.: 2F9C8

Protein A purification

Recommended Dilutions: WB 1:5000-1:20000

IHC 1:1000-1:4000

cells

IHC : human colon cancer tissue, human breast cancer tissue

## **Background Information**

Flightless I (FliI) is the most evolutionarily conserved member of the gelsolin superfamily of proteins which are key regulators of actin filament assembly and turnover. FliI comprises an N-terminal leucine-rich repeat (LRR) domain which is not present in other gelsolin family members, and the LRR domain may enable interactions between FliI and other molecules involved in signal transduction, thereby spatially integrating signaling and actin remodeling functions. This protein was originally found in Drosophila and participates in the embryonic development, while mammalian FliI protein was involved in the regulation of wound repair,skin barrier development. Studies recently demonstrated that FliI protein associated with colorectal cancer, hepatocellular and prostate cancer (PMID:30091651; 28498392).

#### **Notable Publications**

Author	Pubmed ID	Journal	Application
Dou-Dou Li	32368399	Am J Cancer Res	WB
Megan L Norris	36859340	Genes Dev	WB

Storage

Storage: Store at -20°C. Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


For technical support and original validation data for this product please contact:

T: 4006900926 E: Proteintech-CN@ptglab.com


W: ptgcn.cor

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

## Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 67039-1-lg (FLII antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human colon cancer tissue slide using 67039-1-1g (FUI antibody) at dilution of 1:2000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).