For Research Use Only

RAB11A Monoclonal antibody

Catalog Number: 67902-1-Ig



Basic Information

Catalog Number: GenBank Accession Number: 67902-1-lg BC013348

 $\begin{array}{lll} \text{Size:} & \text{GeneID (NCBI):} \\ 1000 \ \mu \, \text{g/ml} & 8766 \\ \\ \text{Source:} & \text{UNIPROT ID:} \\ \\ \text{Mouse} & \text{P62491} \\ \end{array}$

IgG1 RAB11A, member RAS oncogene

Immunogen Catalog Number: family

AG8879 Calculated MW: 216 aa, 24 kDa

Observed MW: 24 kDa

Full Name:

Purification Method: Protein A purification

4A4C9

Protein A purification CloneNo.:

Recommended Dilutions: WB 1:5000-1:20000 IF 1:200-1:800

Applications

Tested Applications: IF/ICC, WB, ELISA Species Specificity:

Isotype:

Human, mouse, rat, pig, rabbit

Positive Controls:

WB: mouse brain tissue, A431 cells, A549 cells, HeLa cells, pig brain tissue, rat brain tissue, rat cerebellum tissue, HepG2 cells, K-562 cells, rabbit brain tissue

IF : HeLa cells,

Background Information

Rab11a, Rab11b and Rab25 comprise a subfamily of Rab proteins that belong to the Ras-related small GTPase protein superfamily (PMID: 8074219, PMID: 10708602). Rab11 proteins are involved in endocytosis and plasma membrane recycling in non-polarized and polarized cells (PMID: 8638719, PMID: 8922376). Rab11a and Rab11b are ubiquitously expressed in most tissues, while Rab25 is only expressed in epithelial cells. Rab11a is known to regulate the recycling of internalized cell surface proteins and receptors from the early endosome through the trans-Golgi network (PMID: 11121436, PMID: 9600939).

Storage

Storage:


Store at -20°C. Stable for one year after shipment.


Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

Selected Validation Data








Various lysates were subjected to SDS PAGE followed by western blot with 67902-1-lg (RAB11A antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours. The membrane was stripped and reblotted with HRP-conjugated GAPDH Monoclonal antibody (HRP-60004) as loading control

Various lysates were subjected to SDS PAGE followed by western blot with 67902-1-lg (RAB11A antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours. The membrane was stripped and reblotted with HRP-conjugated GAPDH Monoclonal antibody (HRP-60004) as loading control.

mouse brain tissue were subjected to SDS PAGE followed by western blot with 67902-1-lg (RAB11A antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours.



Immunofluorescent analysis of (-20°C Methanol) fixed HeLa cells using RAB11A antibody (67902-1-lg, Clone: 4A4C9) at dilution of 1:400 and CoraLite®488-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L).