

For Research Use Only

BCAS2 Monoclonal antibody

Catalog Number: 68003-1-Ig



Basic Information

Catalog Number: 68003-1-Ig	GenBank Accession Number: BC005285	Purification Method: Protein G purification
Size: 1000 µg/ml	GeneID (NCBI): 10286	CloneNo.: 2A12G1
Source: Mouse	UNIPROT ID: O75934	Recommended Dilutions: WB 1:2000-1:10000
Isotype: IgG1	Full Name: breast carcinoma amplified sequence 2	
Immunogen Catalog Number: AG21309	Calculated MW: 26 kDa	
	Observed MW: 28 kDa	

Applications

Tested Applications: WB, ELISA	Positive Controls:
Species Specificity: Human, mouse, rat	WB : HepG2 cells, LNCaP cells, HeLa cells, HEK-293 cells, Jurkat cells, K-562 cells, HSC-T6 cells, NIH/3T3 cells

Background Information

Breast carcinoma amplified sequence 2 (BCAS2) is preferentially known as pre-mRNA splicing factor SPF27 and was originally characterized as an up-regulated gene by amplification in human breast cancer cells. BCAS2 has been shown to be involved in DNA damage repair through the replication protein A (RPA) complex.

Storage

Storage:
Store at -20°C. Stable for one year after shipment.
Storage Buffer:
PBS with 0.02% sodium azide and 50% glycerol pH 7.3.
Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com


W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



HepG2 cells were subjected to SDS PAGE followed by western blot with 68003-1-Ig (BCAS2 antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours. The membrane was stripped and reblotted with HRP-conjugated Beta Actin Monoclonal antibody (HRP-66009) as loading control.



LNCaP cells were subjected to SDS PAGE followed by western blot with 68003-1-Ig (BCAS2 antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours.