For Research Use Only

CoraLite® Plus 488-conjugated DDX21 Polyclonal antibody

Catalog Number:CL488-10528

Featured Product

Antibodies | ELISA kits | Proteins www.ptglab.com

Basic Information	Catalog Number: CL488-10528	GenBank Accession Number: BC008071	Purification Method: Antigen affinity purification	
	Size: 1000 µg/ml	GenelD (NCBI): 9188	Recommended Dilutions: IF 1:50-1:500	
	Source: Rabbit Isotype: IgG Immunogen Catalog Number:	UNIPROT ID:Excitation/Emission maxima wavelengths:Q9NR30wavelengths:Full Name:493 nm / 522 nmDEAD (Asp-Glu-Ala-Asp) box polypeptide 21	wavelengths:	
				AG0804
	Applications		Tested Applications:	Positive Controls:
FC (Intra), IF/ICC Species Specificity: human, mouse, rat		IF : HepG2	2 cells,	
Background Information	(DEAD). As a putative RNA helicas involved in process including ribc and c-Jun was reported in ribosom isoform one is about 87 -100 kDa,	DX21 protein belongs to DEAD box protein family which is characterized by the conserved motif Asp-Glu-Ala-Asp (DEAD). As a putative RNA helicase, DDX21 unwinds double-stranded RNA, folds single-stranded RNA and is involved in process including ribosomal RNA biogeneis, RNA editing and general transcription. Interaction of DDX21 and c-Jun was reported in ribosomal RNA processing. DDX21 exists as two isoforms, molecular weight of modified isoform one is about 87 -100 kDa, and the post-modified isoform is about 75-85 kDa. Catalog# 10528-1-AP is a rabbit polyclonal antibody raised against N-terminal of human DDX21.		
Storage	Storage: Store at -20°C. Avoid exposure to Storage Buffer: PBS with 50% Glycerol, 0.05% Pro Aliquoting is unnecessary for -20°	oclin300, 0.5% BSA, pH 7.3.		


For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



Immunofluorescent analysis of (4% PFA) fixed HepG2 cells using Coralite® Plus 488 DDX21 antibody (CL488-10528) at dilution of 1:200.



1X10^6 HepG2 cells were intracellularly stained with 0.4 ug CoraLite® Plus 488 Anti-Human DDX21 (CL488-10528) (red), or 0.4 ug Control Antibody. Cells were fixed and permeabilized with Transcription Factor Staining Buffer Kit (PF00011).