For Research Use Only

CoraLite® Plus 488 Anti-Human CD11c (BU15)



Purification Method:

Protein G purification

Excitation/Emission maxima

CloneNo.:

wavelengths: 493 nm / 522 nm

BU15

Catalog Number: CL488-65196

Basic Information

Catalog Number:

CL488-65196

100tests, 5 μl/test

Source: Mouse

Isotype:

Mouse IgG1, kappa

component 3 receptor 4 subunit)

1169 aa, 129 kDa

GenBank Accession Number:

BC038237 GeneID (NCBI):

3687

ENSEMBL Gene ID: ENSG00000140678

UNIPROT ID:

P20702

Full Name: integrin, alpha X (complement

Calculated MW:

Applications

Species Specificity:

Human

Tested Applications:

Background Information

Integrins are cell adhesion receptors that are heterodimers composed of non-covalently associated α and β subunits (PMID: 9779984). CD11c, also known as integrin $\,^{\alpha}$ X, is a type I transmembrane glycoprotein present on a variety of cells, including monocytes/macrophages, granulocytes, a subset of B cells, NK cells and dendritic cells (PMID: 2897326; 1680915; 1694698; 17389580). As a result of its high level of expression on most dendritic cells, CD11c is typically considered to be a marker of conventional dendritic cells (PMID: 27119555). CD11c forms an α / β heterodimer with CD18 (integrin β 2). CD11c/CD18 acts a receptor for fibrinogen and is important in monocyte adhesion and chemotaxis (PMID: 1671533).


Storage

Storage:

Store at 2-8°C. Avoid exposure to light.

PBS with 0.1% sodium azide and 0.5% BSA, pH 7.3.

Selected Validation Data



1X10^6 Human peripheral blood granulocytes were surface stained with 5 ul Coralite® Plus 488-conjugated Anti-Human CD11c (CL488-65196, Clone: BU15) (green) or isotype control antibody (black). Cells were not fixed.