For Research Use Only

CoraLite® Plus 647-conjugated OPTN Polyclonal antibody

Catalog Number: CL647-10837

Featured Product




Basic Information	Catalog Number: CL647-10837	GenBank Accession Number: BC013876	Purification Method: Antigen affinity purification
	Size: 1000 µg/ml	GenelD (NCBI): 10133	Excitation/Emission maxima wavelengths:
	Source: Rabbit	UNIPROT ID: Q96CV9	654 nm / 674 nm
	Isotype: IgG	Full Name: optineurin	
	Immunogen Catalog Number: AG1272	Calculated MW: 66 kDa	
		Observed MW: 66 kDa, 70-74 kDa	
Applications	Tested Applications: FC (Intra)		
	Species Specificity: human, mouse, rat		
Background Information	OPTN, also named as FIP2, GLC1E, HIP7, HYPL and NRP, plays a neuroprotective role in the eye and optic nerve. It is probably part of the TNF-alpha signaling pathway that can shift the equilibrium toward induction of cell death. OPTN may act by regulating membrane trafficking and cellular morphogenesis via a complex that contains Rab8 and hungtingtin (HD). OPTN may constitute a cellular target for adenovirus E3 14.7, an inhibitor of TNF-alpha functions, thereby affecting cell death. Defects in OPTN are the cause of primary open angle glaucoma type 1E (GLC1E). Defects in OPTN are a cause of susceptibility to normal pressure glaucoma (NPG). OPTN mutated in adult-onset primary open angle glaucoma. It supports the protective role of OPTN in the trabecular meshwork. OPTN has 3 isoforms with MW 66,65 and 60 kDa (refer to UniProt). Catalog#10837-1-AP recognises 66 and 70-74 kDa band, and the additional 70-74 kDa band due to phosphorylation.		
Storage	Storage: Store at -20°C. Avoid exposure to I Storage Buffer: PBS with 50% Glycerol, 0.05% Pro Aliquoting is unnecessary for -20°	clin300, 0.5% BSA, pH 7.3.	

For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



1X10^6 HeLa cells were intracellularly stained with 0.2 ug CoraLite® Plus 647 Anti-Human OPTN (CL647-10837) (red), or 0.2 ug Control Antibody. Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).