## For Research Use Only

## CD90 Monoclonal antibody

Catalog Number:66766-1-lg 36 Publications




Basic Information	Catalog Number: 66766-1-lg	GenBank Accession Number: BC065559		Purification Method: Protein A purification	
	Concentration:	Genel D (NC	BI):	CloneNo.:	
	1500 ug/ml 7070		2D7D11		
	Source: UNIPROT ID:   Mouse P04216   Isotype: Full Name:   IgG2a Thy-1 cell surface antigen		):	Recommended Dilutions: WB 1:2000-1:10000 IHC 1:500-1:2000 IF-P 1:50-1:500	
			urfaco antigon		
	Immunogen Catalog Number: Calculate		•		
	AG25603 161 aa, 18 k Observed M 28 kDa				
			W:		
Applications			Positive C	ontrols:	
	WB, IHC, IF-P, ELISA			WB : fetal human brain tissue, rabbit brain tissue, U2OS cells, human kidney tissue, pig brain tissue, pig spleen tissue, pig colon tissue	
	Cited Applications: WB, IHC, IF				
				an tonsillitis tissue, human colon cancer	
	human, mouse, rat, pig, rabbit			tissue, human gliomas tissue, human lung cancer tissue, mouse liver tissue	
	Cited Species:		tissue, mo		
	human, mouse, rat, pig, rabbit, bovine		IF-P : huma	IF-P : human tonsillitis tissue,	
	Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0				
Background Information	cells, and bone marrow cells. CD9 marrow and other sources. Activa	90 is one of the e tion of Thy-1 has	ssential surface molects been reported to pron	4% of human fetal liver cells, cord blood cules expressed on human MSC from bone note T cell activation. It also affects esion, neurite outgrowth, tumor growth,	
Notable Publications	Author	Pubmed ID	Journal	Application	
	Muhua Huang	34493162	Pharm Biol	IF	
	Yunan Wang	36370625	Tissue Cell	IF	
	0.11	32125888	Cell Reprogram		
	Qi Li				


For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


## Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 66766-1-1g (CD90 antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours.




Immunohistochemical analysis of paraffinembedded human tonsillitis tissue slide using 66766-1-1g (CD90 antibody) at dilution of 1:1000 (under 10x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).




Immunohistochemical analysis of paraffinembedded human tonsillitis tissue slide using 66766-1-1g (CD90 antibody) at dilution of 1:1000 (under 40x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (4% PFA) fixed human tonsillitis tissue using 66766-1-1g (CD90 antibody) at dilution of 1:100 and Alexa Fluor 488-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L).



Immunofluorescent analysis of (4% PFA) fixed human tonsillitis tissue using 66766-1-1g (CD90 antibody) at dilution of 1:100 and Alexa Fluor 488-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L).



Immunohistochemical analysis of paraffinembedded human colon cancer tissue slide using 66766-1-1g (CD90 antibody) at dilution of 1:3900 (under 4x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).